

Owner: DG TAXUD	Issue Date: 27/04/2012	Version: 15.50-EN
TAXATION AND CUSTOMS UNION DG CUST-DEV2 - FC TAXUD/2010/CC/100 - SC 08 SUBJECT: DDNTA for NCTS P4 Appendix H: EDIFACT Segment Descriptions (CUST-DEV2-SC08-DDNTA_APP_H)		
FRAMEWORK CONTRACT TAXUD/2010/CC/100 SPECIFIC CONTRACT 08		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
1. Introduction	

1. Introduction

This document presents the EDIFACT Segment Descriptions for the messages.

DDNA KEL Alignment

The specific Appendix is aligned to DDNA KEL V0.24

Symbolism used

Definitions

Segment descriptions contain the detailed specification of how each EDIFACT segment is used for each message.

Components

For each occurrence of a segment, the table given shows the following:

Position	Content
Heading, column 1	The segment tag and its position in the EDIFACT message in brackets. They are in bold. The position number for the UNB segment is 0 as it is the interchange header and part of all messages. The position number is the position within the entire UNSM. The segment tables appear in position number order. The position number is followed by the segment name, segment usage (M=mandatory; C=conditional) and the segment occurrence (the maximum number of times it can be used in the transaction).
Heading, column 2	Data group from the FMS that contains the data items carried in the segment. Several data groups can be mapped to the same segment, depending on the segment occurrence (column 1).
Body, column 1	TAG of the composite, component data element and/or simple data element; Name of the composite, component data element (upper case) and/or simple data element (lower case); Usage specified in the UNSM (M=mandatory; C=conditional); Format specified in the UNSM (a=alpha only, n=numeric only, an = alpha-numeric, followed by maximum number of characters allowed. Formats containing ".." (e.g. an..35) signify that the size can be less than or equal to the number of characters shown. Otherwise, size is constant
Body, column 2	Qualifier value to be used (shown between apostrophes, e.g. "14") qualifier description (in brackets); OR attribute name from FMS, followed by format in brackets
Body, column 3	The NCTS P4 Code list applicable.

Table 1: Segment Description Content

The FMS Usage codes included in previous versions of Appendix H have been removed.

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
2. Changes	

2. Changes

The following adjustments have been done to the UN Standard Messages.

Format changes

UNSM	Position	Change	Reason
BANSTA	MOA[19]	Repeat factor 5	This segment is used to map FMS data fields that are repeated more than one times.
BANSTA	FII[24]	Repeat factor 999	This segment is used to map FMS data fields that are repeated more than one times.
BANSTA	NAD[10]	Repeat factor 5	This segment is used to map FMS data fields that are repeated more than three times.
BANSTA	DTM[18]	Repeat factor 5	This segment is used to map FMS data fields that are repeated more than two times.
BANSTA	COM[26].C076.3155	Status from M to C	Goods description LNG (O)
BANSTA	NAD[27]	Repeat factor 99	This segment is used to map FMS data fields that are repeated more than 1 time. MESSAGE - GUARANTOR - GUARANTOR OTHER ADDRESSES(99x)
BANSTA	DTM[3]	Status from M to C	Not Used
BANSTA	SEQ[16]	Repeat factor 99	This segment is used to map FMS data fields that are repeated more than 9 times. MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY (1x) MESSAGE - GUARANTEE REFERENCE - USAGE(9999x)
BANSTA	FII[24].C088.3433	an..11 to an..22	Commodity Code in IE037
BANSTA	GIS[17]	Repeat factor 9	This segment is used to map FMS data fields that are repeated more than one time.
CUSDEC	PAC[14].C402.7077	an..3 to an..4	Guarantee Access Code and Seals Number
CUSDEC	PAC[99]	Repeat factor 99	GOODS ITEM - PACKAGES (99x)
CUSDEC	GIR[131].C206#1	Status from M to C	SGL CODES.Sensitive quantity
CUSDEC	PAC[14]	Repeat factor 99	GUARANTEE - GUARANTEE REFERENCE (99x)
CUSDEC	PAC[14].C402.7077	an..3 to an..4	Seals Number
CUSDEC	PAC[14].C402.7077	Status from M to C	Guarantee Access Code
CUSDEC	PCI[15].C210.7102	Status from M to C	Endorsement Date
CUSDEC	PAC[14&99].C402.7064	Status from M to C	Number of Packages Guarantee reference number
CUSDEC	CST[92].C246.7361	an..18 to an..22	Commodity Code
CUSDEC	FTX[11&93].C108.4440	Status from M to C	Pointer to the attribute
CUSDEC	TOD[115]	Repeat factor 99	GOODS ITEM - SPECIAL MENTIONS (99x)
CUSDEC	CST[92]	Repeat factor 999	Mapping of GOODS ITEM (999)
CUSDEC	CST.FTX[93]	Repeat factor 999	Mapping of GOODS ITEM - RESULTS OF CONTROLS (199)
CUSDEC	DOC[111]	Repeat factor 999	GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES (9x) - PRODUCED DOCUMENTS/CERTIFICATES (99x) - PRODUCED DOCUMENTS/CERTIFICATES (495x)
CUSRES	FTX[4].C107.4441	Status from C to O	ENQUIRY.Delivery date TC11
CUSRES	FTX[4]	Repeat factor 9999	FUNCTIONAL ERROR (999x) HEADER.Cancellation justification HEADER.Release request rejection

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
2. Changes	

CUSRES	FTX[48]	Repeat factor 999	This segment is used to map FMS data fields that are repeated more than 99 times.
FINSTA	DTM[3]	Status from M to C	Not Used
FINSTA	RFF[19]	Status from M to C	Not Used.
FINSTA	FII[13]	Status from M to C	The optionality of segment FII.
FINSTA	MOA[16]	Status from M to C	Reference amount , Percentage of reference amount.
FINSTA	DTM[20]	Status from M to C	The optionality of segment DTM.
FINSTA	BUS[21]	Status from M to C	Not Used
FINSTA	RFF[14]	Status from M to C.	The optionality of segment RFF.
FINSTA	MOA[22]	Status from M to C	Not Used
GENRAL	LOC[14]	Repeat factor 9	This segment is used to map FMS data fields that are repeated more than one times.
GESMES	FTX.C108.4440	Status from M to C	Validity Date (D)
GESMES	VLI[10]	Repeat factor 99999	UN/LOCODE (9999x) plus others of (999x).
GESMES	DSI[32].ARR[37].C770.9424	9424 Added 2 more times	In UNSM appears only once - used three times for transit
PARTIN	CTA[20]	Repeat factor 99	CUSTOMS OFFICE INFORMATION -TRADER DEDICATED (99x)
PARTIN	DTM[3]	Status from M to C	Not used
PARTIN	TOD[24]	Repeat factor 999	CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE TIMETABLE (9x) - CUSTOMS OFFICE LSD (9x) - COUNTRY HOLIDAYS DATA (99x) - COUNTRY/REGION HOLIDAYS (99x)
PARTIN	FTX.C108.4440	Status from M to C	Validity Date (D)
PARTIN	FTX[27]	Inserted	COI-COT-COTL - CUSTOMS OFFICE ROLE/TRAFFIC COMPETENCE
PARTIN	FTX[15]	Inserted	COUNTRY/REGION HOLIDAYS -ACTION (1x)various - LANGUAGE SPECIFIC DATA (99x)
PARTIN	LOC[26]	Repeat factor 99	CUSTOMS OFFICE INFORMATION-CUSTOMS OFFICE TIMETABLE (9x)COUNTRY HOLIDAYS -COUNTRY HOLIDAYS DATA (9x)COUNTRY/REGION-COUNTRY/REGION HOLIDAYS (9x)
PARTIN	BGM[2]	Status from M to C	Message Identification re-mapped to UNH for consistency with other Message Types.
PARTIN	DTM[25]	Inserted	CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE TIMETABLE.Season start/end date
SANCRT	FTX[48]	Repeat factor 999	This segment is used to map FMS data fields that are repeated more than 99 time.

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
3. Stuffing	

3. Stuffing

In a number of cases, there is no proper segment or qualifier for mapping functional requirements. In these cases, another segment is selected for exchanging the functional message structures. This is called 'stuffing'. Basic reasons are the difference in hierarchy between FMS and UN/EDIFACT UNSMs and missing segments/data elements to represent the semantics of the FMS. Stuffing to D96B CUSDEC concerns the mapping of the 'En route event' and the 'Guarantee' groups.

A requirement in the SAM Mapping Guideline has been to not use the DMS group of D96B CUSDEC. Therefore, alignment to the SAM Mapping Guideline required mapping of these groups to other groups in D96B CUSDEC.

This concerns the following major mappings:

Message	Element	Segment	Position
BANSTA	COMPREHENSIVE GUARANTEE	DOC	23
BANSTA	GUARANTEE REFERENCE	DTM	15
BANSTA	USAGE	DTM	18
BANSTA	COMPREHENSIVE GUARANTEE	DTM	18
BANSTA	GUARANTOR	DOC	23
BANSTA	USAGE	DOC	23
BANSTA	INDIVIDUAL GUARANTEE VOUCHER	CUX	20
BANSTA	INDIVIDUAL GUARANTEE BY GUARANTOR	CUX	20
BANSTA	USAGE	CUX	20
BANSTA	COMPREHENSIVE GUARANTEE	CUX	20
BANSTA	GUARANTEE REFERENCE	RFF	14
BANSTA	COMPREHENSIVE GUARANTEE	PCD	21
BANSTA	INDIVIDUAL GUARANTEE VOUCHER	MOA	19
BANSTA	INDIVIDUAL GUARANTEE BY GUARANTOR	MOA	19
BANSTA	COMPREHENSIVE GUARANTEE	MOA	19
BANSTA	USAGE	MOA	19
BANSTA	GUARANTEE REFERENCE	LIN	13
BANSTA	INDIVIDUAL GUARANTEE VOUCHER	GIS	17
BANSTA	GUARANTEE QUERY	GIS	17
BANSTA	GUARANTOR	FTX	22
CUSDEC	INCIDENT	FTX	16
CUSDEC	EN ROUTE EVENT	PAC	14

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
3. Stuffing	

CUSDEC	TRANSHIPMENT	PCI	15
CUSDEC	TRANSHIPMENT	FTX	16
CUSDEC	CONTAINERS	PCI	15
CUSDEC	INCIDENT	PCI	15
CUSDEC	GUARANTEE REFERENCE	PAC	14
FINSTA	GUARANTEE REFERENCE	MOA	16
FINSTA	GUARANTEE REFERENCE	FTX	23
FINSTA	GUARANTEE REFERENCE	DTM	20
GESMES	LANGUAGE SPECIFIC DATA	DTM	15
GESMES	ACTION	FTX	12
PARTTC	COUNTRY HOLIDAYS DATA LSD	LOC	26
PARTTC	COUNTRY/REGION HOLIDAYS LSD	LOC	26
PARTTC	CUSTOMS OFFICE LSD	LOC	26
PARTTC	CUSTOMS OFFICE LSD	TOD	24
PARTTC	CUSTOMS OFFICE TIMETABLE LINE	LOC	26

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

4. EDIFACT

BANSTA

UNB[0],INTERCHANGE HEADER,M,1x

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER		M		
0001	Syntax identifier		M	a4	<i>Syntax identifier(a4)</i> 21
0002	Syntax version number		M	n1	<i>Syntax version number(n1)</i> 22
S002	INTERCHANGE SENDER		M		
0004	Sender identification		M	an..35	<i>Message sender(an..35)</i>
0007	Identification code qualifier		C	an..4	<i>Sender identification code qualifier(an..4)</i>
0008	Address for reverse routing		C	an..14	
S003	INTERCHANGE RECIPIENT		M		
0010	Recipient identification		M	an..35	<i>Message recipient(an..35)</i>
0007	Identification code qualifier		C	an..4	<i>Recipient identification code qualifier(an..4)</i>
0014	Routing address		C	an..14	
S004	DATE/TIME OF PREPARATION		M		
0017	Date		M	n6	<i>Date of preparation(n6)</i>
0019	Time		M	n4	<i>Time of preparation(n4)</i>
0020	Interchange control reference		M	an..14	<i>Interchange control reference(an..14)</i>
S005	RECIPIENTS REFERENCE, PASSWORD		C		
0022	Recipient's reference/password		M	an..14	<i>Recipient's reference/password(an..14)</i>
0025	Recipient's reference/password qualifier		C	an2	<i>Recipient's reference/password qualifier(an2)</i>
0026	Application reference		C	an..14	<i>Application reference(an..14)</i>
0029	Processing priority code		C	a1	<i>Priority(a1)</i>
0031	Acknowledgement request		C	n1	<i>Acknowledgement request(n1)</i> 27
0032	Communications agreement id.		C	an..35	<i>Communications agreement id(an..35)</i>
0035	Test indicator		C	n1	<i>Test indicator(n1)</i> 27

4. EDIFACT

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'BANSTA'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2	Message sequence number(n..2)	
0073	First and last transfer	C	a1	First and last transfer(a1)	28

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

BGM[2],BEGINNING OF MESSAGE,M,1x				MESSAGE	Codelist
C002	DOCUMENT/MESSAGE NAME	C			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35		
C106	DOCUMENT/MESSAGE IDENTIFICATION	C			
1004	Document/message number	C	an..35	<i>Original message identification(an..14)</i>	
1056	Version	C	an..9		
1060	Revision number	C	an..6		
1225	Message function, coded	C	an..3	'13'	
4343	Response type, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[10],NAME AND ADDRESS,C,5x				MESSAGE - (GUARANTEE SIMPLIFICATION) CUSTOMS OFFICE	Codelist
3035	Party qualifier	M	an..3	'AM'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

4. EDIFACT

NAD[10],NAME AND ADDRESS,C,5x				MESSAGE - (REQUESTER) CUSTOMS OFFICE	Codelist
3035	Party qualifier	M	an..3	'CM'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

4. EDIFACT

NAD[10],NAME AND ADDRESS,C,5x				MESSAGE - (RECOVERY) CUSTOMS OFFICE	Codelist
3035	Party qualifier	M	an..3	'RE'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[10],NAME AND ADDRESS,C,5x				MESSAGE - (GUARANTEE) COUNTRY	Codelist
3035	Party qualifier	M	an..3	'GF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Country code(a2)	70
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

4. EDIFACT

NAD[10],NAME AND ADDRESS,C,5x				MESSAGE - (REQUESTER PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[10],NAME AND ADDRESS,C,5x				MESSAGE - (GUARANTEE) CUSTOMS OFFICE	Codelist
3035	Party qualifier	M	an..3	'GU'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[13],LINE ITEM,M,99x				MESSAGE - MRNLIST	Codelist
1082	Line item number	C	n..6	'10'	
1229	Action request/notification, coded	C	an..3		
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35	<i>Document/reference number(an..21)</i>	
7143	Item number type, coded	C	an..3	<i>Country code A(a2)</i>	70
1131	Code list qualifier	C	an..3	<i>Role A(a2)</i>	83
3055	Code list responsible agency, coded	C	an..3	<i>Country code B(a2)</i>	70
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3	<i>Role B(a2)</i>	83
1082	Line item number	C	n..6		
1222	Configuration level	C	n..2		
7083	Configuration, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[13],LINE ITEM,M,99x				MESSAGE - MRNINFO	Codelist
1082	Line item number	C	n..6	'10'	
1229	Action request/notification, coded	C	an..3		
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35	<i>Document/reference number(an..21)</i>	
7143	Item number type, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3		
1082	Line item number	C	n..6		
1222	Configuration level	C	n..2	<i>CSMIS status explanation code(n..2)</i>	84
7083	Configuration, coded	C	an..3	<i>CSMIS status(an2)</i>	81

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[13],LINE ITEM,M,99x				MESSAGE - MRNLIST - MSGTYPE	Codelist
1082	Line item number	C	n..6	'10'	
1229	Action request/notification, coded	C	an..3		
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35		
7143	Item number type, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3		
1082	Line item number	C	n..6		
1222	Configuration level	C	n..2		
7083	Configuration, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[13],LINE ITEM,M,99x				MESSAGE - GUARANTEE REFERENCE	Codelist
1082	Line item number	C	n..6		
1229	Action request/notification, coded	C	an..3	'10'	
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35	Guarantee reference number (GRN)(an..24)	
7143	Item number type, coded	C	an..3	Guarantee type(an1)	51
1131	Code list qualifier	C	an..3	Guarantee monitoring code(n1)	50
3055	Code list responsible agency, coded	C	an..3		
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3		
1082	Line item number	C	n..6		
1222	Configuration level	C	n..2		
7083	Configuration, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[13],LINE ITEM,M,99x				MESSAGE - GUARANTEE REFERENCE	Codelist
1082	Line item number	C	n..6		
1229	Action request/notification, coded	C	an..3	'10'	
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35		
7143	Item number type, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3		
1082	Line item number	C	n..6		
1222	Configuration level	C	n..2		
7083	Configuration, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[13],LINE ITEM,M,99x				MESSAGE - GUARANTEE REFERENCE - ACCESS	Codelist
				CODE	
1082	Line item number	C	n..6		
1229	Action request/notification, coded	C	an..3	'10'	
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35		
7143	Item number type, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3		
1082	Line item number	C	n..6		
1222	Configuration level	C	n..2		
7083	Configuration, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[14],REFERENCE,C,5x				MESSAGE - GUARANTEE REFERENCE	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABL'	
1154	Reference number	C	an..35		
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[14],REFERENCE,C,5x

MESSAGE - GUARANTEE REFERENCE - ACCESS Codelist
CODE

C506	REFERENCE	M		
1153	Reference qualifier	M	an..3	'ABL'
1154	Reference number	C	an..35	Access code(an4)
1156	Line number	C	an..6	
4000	Reference version number	C	an..35	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[15],DATE/TIME/PERIOD,C,1x			MESSAGE - GUARANTEE REFERENCE		Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'143'	
2380	Date/time/period	C	an..35	Acceptance date(n8)	
2379	Date/time/period format qualifier	C	an..3		

4. EDIFACT

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3	'9'
C286	SEQUENCE INFORMATION	C		
1050	Sequence number	M	an..10	
1159	Sequence number source, coded	C	an..3	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	

MESSAGE - MRNLIST - PERIOD OF REQUEST

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x				MESSAGE - MRNINFO - MSGINFO	Codelist
1245	Status indicator, coded	C	an..3	'8'	
C286	SEQUENCE INFORMATION	C			
1050	Sequence number	M	an..10		
1159	Sequence number source, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x				MESSAGE - MRNINFO - MSGINFO	Codelist
1245	Status indicator, coded	C	an..3	'9'	
C286	SEQUENCE INFORMATION	C			
1050	Sequence number	M	an..10		
1159	Sequence number source, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x				MESSAGE - MRNINFO - MSGINFO	Codelist
1245	Status indicator, coded	C	an..3	'4'	
C286	SEQUENCE INFORMATION	C			
1050	Sequence number	M	an..10		
1159	Sequence number source, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x				MESSAGE - MRNLIST - MSGTYPE	Codelist
1245	Status indicator, coded	C	an..3	'8'	
C286	SEQUENCE INFORMATION	C			
1050	Sequence number	M	an..10		
1159	Sequence number source, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

**MESSAGE - GUARANTEE REFERENCE -
GUARANTEE QUERY**

Codelist

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER Codelist

'1'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x				MESSAGE - GUARANTEE REFERENCE - USAGE	Codelist
1245	Status indicator, coded	C	an..3	'10'	
C286	SEQUENCE INFORMATION	C			
1050	Sequence number	M	an..10		
1159	Sequence number source, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

MESSAGE - GUARANTEE REFERENCE - EXPOSURE

Codelist

'7'
Exposure counter(n..8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

**MESSAGE - GUARANTEE REFERENCE -
GUARANTOR**

Codelist

'4'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE**

Codelist

'5'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR**

Codelist

'8'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE VOUCHER**

Codelist

'9'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE - GOODS ITEM**

Codelist

'5'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[16],SEQUENCE DETAILS,C,99x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR -
GOODS ITEM**

Codelist

1245	Status indicator, coded	C	an..3
C286	SEQUENCE INFORMATION	C	
1050	Sequence number	M	an..10
1159	Sequence number source, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

'8'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - MRNINFO - MSGINFO	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	'5'	
1131	Code list qualifier	C	an..3	Reception return code(n1)	27
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - MRNINFO - MSGINFO	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	'7'	
1131	Code list qualifier	C	an..3	CoA report(n1)	82
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - MRNINFO - MSGINFO	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	'9'	
1131	Code list qualifier	C	an..3	CoD report(n1)	82
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - MRNINFO - MSGINFO	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	'11'	
1131	Code list qualifier	C	an..3	EXP report(n1)	82
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - MRNINFO - MSGINFO	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	'13'	
1131	Code list qualifier	C	an..3	EXC report(n1)	82
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY	Codelist
C529	PROCESSING INDICATOR		M		
7365	Processing indicator, coded		M	an..3	'3'
1131	Code list qualifier		C	an..3	<i>Query identifier(n1)</i>
3055	Code list responsible agency, coded		C	an..3	
7187	Process type identification		C	an..17	54

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - GUARANTEE REFERENCE - GUARANTOR	Codelist
C529	PROCESSING INDICATOR		M		
7365	Processing indicator, coded		M	an..3	'10'
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7187	Process type identification		C	an..17	TIN(an..17)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE	Codelist
C529	PROCESSING INDICATOR		M		
7365	Processing indicator, coded		M	an..3	'5'
1131	Code list qualifier		C	an..3	<i>Limited validity (sensitive goods)(n1)</i>
3055	Code list responsible agency, coded		C	an..3	
7187	Process type identification		C	an..17	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE	Codelist
C529	PROCESSING INDICATOR		M		
7365	Processing indicator, coded		M	an..3	'6'
1131	Code list qualifier		C	an..3	<i>Restricted use (suspended goods)(n1)</i>
3055	Code list responsible agency, coded		C	an..3	
7187	Process type identification		C	an..17	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER	Codelist
C529	PROCESSING INDICATOR		M		
7365	Processing indicator, coded		M	an..3	'15'
1131	Code list qualifier		C	an..3	<i>Hard copy given to Principal(n1)</i>
3055	Code list responsible agency, coded		C	an..3	
7187	Process type identification		C	an..17	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER	Codelist
C529	PROCESSING INDICATOR		M		
7365	Processing indicator, coded		M	an..3	'5'
1131	Code list qualifier		C	an..3	<i>Limited validity (sensitive goods)(n1)</i>
3055	Code list responsible agency, coded		C	an..3	
7187	Process type identification		C	an..17	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[17],GENERAL INDICATOR,C,9x				MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER	Codelist
C529	PROCESSING INDICATOR		M		
7365	Processing indicator, coded		M	an..3	'13'
1131	Code list qualifier		C	an..3	TIR carnet(n1)
3055	Code list responsible agency, coded		C	an..3	
7187	Process type identification		C	an..17	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - MRNLIST - PERIOD OF REQUEST	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'147'	
2380	Date/time/period	C	an..35	Day period from(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - MRNLIST - PERIOD OF REQUEST	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'10'	
2380	Date/time/period	C	an..35	Time period from(n6)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - MRNLIST - PERIOD OF REQUEST	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'156'	
2380	Date/time/period	C	an..35	Day period to(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - MRNLIST - PERIOD OF REQUEST	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'180'	
2380	Date/time/period	C	an..35	Time period to(n6)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x		MESSAGE - MRNINFO - MSGINFO			Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'147'	
2380	Date/time/period	C	an..35	Sent Date(n14)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - MRNINFO - MSGINFO	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'185'	
2380	Date/time/period	C	an..35	Received Date(n14)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'273'	
2380	Date/time/period	C	an..35	<i>Period from date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'206'	
2380	Date/time/period	C	an..35	<i>Period to date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x		MESSAGE - GUARANTEE REFERENCE - USAGE			Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'109'	
2380	Date/time/period	C	an..35	Lock date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - GUARANTEE REFERENCE - USAGE	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'132'	
2380	Date/time/period	C	an..35	Arrival date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x				MESSAGE - GUARANTEE REFERENCE - USAGE	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'161'	
2380	Date/time/period	C	an..35	<i>Date of release(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE**

Codelist

C507	DATE/TIME/PERIOD		M		
2005	Date/time/period qualifier		M	an..3	'157'
2380	Date/time/period		C	an..35	Validity date(n8)
2379	Date/time/period format qualifier		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE**

Codelist

Code	Description	Element	Card	Value	Example
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'192'	
2380	Date/time/period	C	an..35	Invalidity date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x

MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE

Codelist

C507	DATE/TIME/PERIOD		M		
2005	Date/time/period qualifier		M	an..3	'261'
2380	Date/time/period		C	an..35	<i>Liability liberation date(n8)</i>
2379	Date/time/period format qualifier		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x

MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE VOUCHER

Codelist

C507	DATE/TIME/PERIOD		M		
2005	Date/time/period qualifier		M	an..3	'182'
2380	Date/time/period		C	an..35	<i>Date of issue(n8)</i>
2379	Date/time/period format qualifier		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[18],DATE/TIME/PERIOD,C,5x

MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE VOUCHER

Codelist

C507	DATE/TIME/PERIOD		M		
2005	Date/time/period qualifier		M	an..3	'36'
2380	Date/time/period		C	an..35	<i>Expiry date(n8)</i>
2379	Date/time/period format qualifier		C	an..3	

4. EDIFACT

MOA[19],MONETARY AMOUNT,C,5x**MESSAGE - MRNINFO - MSGINFO**

Codelist

C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'168'	
5004	Monetary amount	C	n..18	Sequence id(n..8)	
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

4. EDIFACT

MOA[19],MONETARY AMOUNT,C,5x**MESSAGE - MRNINFO - MSGINFO****Codelist**

C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'167'	
5004	Monetary amount	C	n..18	Reply to(n..8)	
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

4. EDIFACT

MOA[19],MONETARY AMOUNT,C,5x

C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3		'6'
5004	Monetary amount	C	n..18		<i>Covered amount(n..15,2)</i>
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

MESSAGE - GUARANTEE REFERENCE - USAGE

Codelist

4. EDIFACT

MOA[19],MONETARY AMOUNT,C,5x

MESSAGE - GUARANTEE REFERENCE -
EXPOSURE

Codelist

C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'14'	
5004	Monetary amount	C	n..18	<i>Exposure(n..15,2)</i>	
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MOA[19],MONETARY AMOUNT,C,5x				MESSAGE - GUARANTEE REFERENCE - EXPOSURE	Codelist
C516	MONETARY AMOUNT		M		
5025	Monetary amount type qualifier		M	an..3	'34'
5004	Monetary amount		C	n..18	Balance(n..15,2)
6345	Currency, coded		C	an..3	
6343	Currency qualifier		C	an..3	
4405	Status, coded		C	an..3	

4. EDIFACT

MOA[19],MONETARY AMOUNT,C,5x

MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE

Codelist

C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'6'	
5004	Monetary amount	C	n..18	<i>Reference amount(n..15,2)</i>	
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MOA[19],MONETARY AMOUNT,C,5x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE**

Codelist

Code	Description	Card	Field	Length	Value
C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3		'166'
5004	Monetary amount	C	n..18		Guarantee amount(n..15,2)
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MOA[19],MONETARY AMOUNT,C,5x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR**

Codelist

C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'166'	
5004	Monetary amount	C	n..18	<i>Guarantee amount(n..15,2)</i>	
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MOA[19],MONETARY AMOUNT,C,5x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE VOUCHER**

Codelist

MOA	MONETARY AMOUNT				
C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'229'	
5004	Monetary amount	C	n..18	<i>Voucher amount(n..15,2)</i>	
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CUX[20],CURRENCIES,C,1x				MESSAGE - GUARANTEE REFERENCE - USAGE	Codelist
C504	CURRENCY DETAILS	C			
6347	Currency details qualifier	M	an..3	'7'	
6345	Currency, coded	C	an..3	Currency(an3)	48
6343	Currency qualifier	C	an..3		
6348	Currency rate base	C	n..4		
C504	CURRENCY DETAILS	C			
6347	Currency details qualifier	M	an..3		
6345	Currency, coded	C	an..3		
6343	Currency qualifier	C	an..3		
6348	Currency rate base	C	n..4		
5402	Rate of exchange	C	n..12		
6341	Currency market exchange, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CUX[20],CURRENCIES,C,1x					MESSAGE - GUARANTEE REFERENCE - EXPOSURE	Codelist
C504	CURRENCY DETAILS	C				
6347	Currency details qualifier	M	an..3	'7'		
6345	Currency, coded	C	an..3	Currency(an3)		48
6343	Currency qualifier	C	an..3			
6348	Currency rate base	C	n..4			
C504	CURRENCY DETAILS	C				
6347	Currency details qualifier	M	an..3			
6345	Currency, coded	C	an..3			
6343	Currency qualifier	C	an..3			
6348	Currency rate base	C	n..4			
5402	Rate of exchange	C	n..12			
6341	Currency market exchange, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CUX[20],CURRENCIES,C,1x					MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE	Codelist
C504	CURRENCY DETAILS	C				
6347	Currency details qualifier	M	an..3	'7'		
6345	Currency, coded	C	an..3	Currency(an3)	48	
6343	Currency qualifier	C	an..3			
6348	Currency rate base	C	n..4			
C504	CURRENCY DETAILS	C				
6347	Currency details qualifier	M	an..3			
6345	Currency, coded	C	an..3			
6343	Currency qualifier	C	an..3			
6348	Currency rate base	C	n..4			
5402	Rate of exchange	C	n..12			
6341	Currency market exchange, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CUX[20],CURRENCIES,C,1x					MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR	Codelist
C504	CURRENCY DETAILS	C				
6347	Currency details qualifier	M	an..3	'7'		
6345	Currency, coded	C	an..3	Currency(an3)		48
6343	Currency qualifier	C	an..3			
6348	Currency rate base	C	n..4			
C504	CURRENCY DETAILS	C				
6347	Currency details qualifier	M	an..3			
6345	Currency, coded	C	an..3			
6343	Currency qualifier	C	an..3			
6348	Currency rate base	C	n..4			
5402	Rate of exchange	C	n..12			
6341	Currency market exchange, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CUX[20],CURRENCIES,C,1x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE VOUCHER**

Codelist

C504	CURRENCY DETAILS	C		
6347	Currency details qualifier	M	an..3	
6345	Currency, coded	C	an..3	
6343	Currency qualifier	C	an..3	
6348	Currency rate base	C	n..4	
C504	CURRENCY DETAILS	C		
6347	Currency details qualifier	M	an..3	
6345	Currency, coded	C	an..3	
6343	Currency qualifier	C	an..3	
6348	Currency rate base	C	n..4	
5402	Rate of exchange	C	n..12	
6341	Currency market exchange, coded	C	an..3	

'7'
Currency(an3)

48

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCD[21],PERCENTAGE DETAILS,C,1x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE**

Codelist

Code	Description	Card	Length	Value
C501	PERCENTAGE DETAILS	M		
5245	Percentage qualifier	M	an..3	'7'
5482	Percentage	C	n..10	Percentage of reference amount(n..3)
5249	Percentage basis, coded	C	an..3	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[22],FREE TEXT,C,1x					MESSAGE - GUARANTEE REFERENCE - GUARANTOR	Codelist
4451	Text subject qualifier	M	an..3	'ACB'		
4453	Text function, coded	C	an..3			
C107	TEXT REFERENCE	C				
4441	Free text identification	M	an..17	Postal code(an..9)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3	Country code(a2)	70	
C108	TEXT LITERAL	C				
4440	Free text	C	an..70	Name(an..35)		
4440	Free text	C	an..70	Street and number(an..35)		
4440	Free text	C	an..70	City(an..35)		
4440	Free text	C	an..70			
4440	Free text	C	an..70			
3453	Language, coded	C	an..3	NAD LNG(a2)	12	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[22],FREE TEXT,C,1x				MESSAGE - GUARANTEE REFERENCE - GUARANTOR	Codelist
4451	Text subject qualifier	M	an..3	'ACB'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70	E-mail address(an..70)	
4440	Free text	C	an..70	Telex number(an..35)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[22],FREE TEXT,C,1x				MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3	Invalidity reason code(an3)	
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Invalidity reason(an..350)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Invalidity reason LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DOC[23],DOCUMENT/MESSAGE DETAILS,C,5x				MESSAGE - GUARANTEE REFERENCE - USAGE	Codelist
C002	DOCUMENT/MESSAGE NAME	M			
1001	Document/message name, coded	C	an..3	'101'	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35	<i>Document/reference number(an..21)</i>	
C503	DOCUMENT/MESSAGE DETAILS	C			
1004	Document/message number	C	an..35		
1373	Document/message status, coded	C	an..3		
1366	Document/message source	C	an..35		
3453	Language, coded	C	an..3		
3153	Communication channel identifier, coded	C	an..3		
1220	Number of copies of document required	C	n..2		
1218	Number of originals of document required	C	n..2		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DOC[23],DOCUMENT/MESSAGE DETAILS,C,5x

MESSAGE - GUARANTEE REFERENCE - GUARANTOR

Codelist

Code	Description	Req	Len	Value
C002	DOCUMENT/MESSAGE NAME	M		
1001	Document/message name, coded	C	an..3	'10'
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
1000	Document/message name	C	an..35	<i>Fax number(an..35)</i>
C503	DOCUMENT/MESSAGE DETAILS	C		
1004	Document/message number	C	an..35	<i>Contact person(an..35)</i>
1373	Document/message status, coded	C	an..3	
1366	Document/message source	C	an..35	<i>Phone number(an..35)</i>
3453	Language, coded	C	an..3	
3153	Communication channel identifier, coded	C	an..3	
1220	Number of copies of document required	C	n..2	
1218	Number of originals of document required	C	n..2	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DOC[23],DOCUMENT/MESSAGE DETAILS,C,5x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE**

Codelist

Code	Description	Card	Field	Value
C002	DOCUMENT/MESSAGE NAME	M		
1001	Document/message name, coded	C	an..3	'16'
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
1000	Document/message name	C	an..35	
C503	DOCUMENT/MESSAGE DETAILS	C		
1004	Document/message number	C	an..35	<i>Number of certificates(n..8)</i>
1373	Document/message status, coded	C	an..3	
1366	Document/message source	C	an..35	
3453	Language, coded	C	an..3	
3153	Communication channel identifier, coded	C	an..3	
1220	Number of copies of document required	C	n..2	
1218	Number of originals of document required	C	n..2	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x				MESSAGE - MRNINFO - MSGINFO	Codelist
3035	Party qualifier	M	an..3	'CJ'	
C078	ACCOUNT IDENTIFICATION	C			
3194	Account holder number	C	an..35	<i>Message type(an..6)</i>	60
3192	Account holder name	C	an..35		
3192	Account holder name	C	an..35		
6345	Currency, coded	C	an..3		
C088	INSTITUTION IDENTIFICATION	C			
3433	Institution name identification	C	an..11		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3434	Institution branch number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3432	Institution name	C	an..350		
3436	Institution branch place	C	an..70		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x				MESSAGE - MRNINFO - MSGINFO	Codelist
3035	Party qualifier	M	an..3	'CU'	
C078	ACCOUNT IDENTIFICATION	C			
3194	Account holder number	C	an..35		
3192	Account holder name	C	an..35		
3192	Account holder name	C	an..35		
6345	Currency, coded	C	an..3		
C088	INSTITUTION IDENTIFICATION	C			
3433	Institution name identification	C	an..11		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3434	Institution branch number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3432	Institution name	C	an..350		
3436	Institution branch place	C	an..70		
3207	Country, coded	C	an..3	Country code A(a2)	70

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x				MESSAGE - MRNINFO - MSGINFO	Codelist
3035	Party qualifier	M	an..3	'CV'	
C078	ACCOUNT IDENTIFICATION	C			
3194	Account holder number	C	an..35		
3192	Account holder name	C	an..35		
3192	Account holder name	C	an..35		
6345	Currency, coded	C	an..3		
C088	INSTITUTION IDENTIFICATION	C			
3433	Institution name identification	C	an..11		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3434	Institution branch number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3432	Institution name	C	an..350		
3436	Institution branch place	C	an..70		
3207	Country, coded	C	an..3	Country code B(a2)	70

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x				MESSAGE - MRNLIST - MSGTYPE	Codelist
3035	Party qualifier	M	an..3	'CJ'	
C078	ACCOUNT IDENTIFICATION	C			
3194	Account holder number	C	an..35	Message type(an..6)	60
3192	Account holder name	C	an..35		
3192	Account holder name	C	an..35		
6345	Currency, coded	C	an..3		
C088	INSTITUTION IDENTIFICATION	C			
3433	Institution name identification	C	an..11		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3434	Institution branch number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3432	Institution name	C	an..350		
3436	Institution branch place	C	an..70		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE - VALIDITY
LIMITATION EC**

Codelist

Segment	Field	Qualifier	Card	Element	Value	Codelist
3035	Party qualifier		M	an..3	'AN'	
C078	ACCOUNT IDENTIFICATION		C			
3194	Account holder number		C	an..35		
3192	Account holder name		C	an..35		
3192	Account holder name		C	an..35		
6345	Currency, coded		C	an..3	<i>Not valid for EC(n1)</i>	27
C088	INSTITUTION IDENTIFICATION		C			
3433	Institution name identification		C	an..11		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
3434	Institution branch number		C	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
3432	Institution name		C	an..350		
3436	Institution branch place		C	an..70		
3207	Country, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE - VALIDITY
LIMITATION NON EC**

Codelist

Segment	Field	Qualifier	Format	Value	Codelist
3035	Party qualifier		M	an..3	'IU'
C078	ACCOUNT IDENTIFICATION		C		
3194	Account holder number		C	an..35	
3192	Account holder name		C	an..35	
3192	Account holder name		C	an..35	
6345	Currency, coded		C	an..3	
C088	INSTITUTION IDENTIFICATION		C		
3433	Institution name identification		C	an..11	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
3434	Institution branch number		C	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
3432	Institution name		C	an..350	
3436	Institution branch place		C	an..70	
3207	Country, coded		C	an..3	Not valid for other contracting parties(a2)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR -
(DEPARTURE) CUSTOMS OFFICE**

Codelist

Segment	Field	Qualifier	Length	Value
3035	Party qualifier	M	an..3	'CM'
C078	ACCOUNT IDENTIFICATION	C		
3194	Account holder number	C	an..35	Reference number(an8)
3192	Account holder name	C	an..35	
3192	Account holder name	C	an..35	
6345	Currency, coded	C	an..3	
C088	INSTITUTION IDENTIFICATION	C		
3433	Institution name identification	C	an..11	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
3434	Institution branch number	C	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
3432	Institution name	C	an..350	
3436	Institution branch place	C	an..70	
3207	Country, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR -
(DESTINATION) CUSTOMS OFFICE**

Codelist

Segment	Field	Qualifier	Format	Description
3035	Party qualifier	M	an..3	'CPD'
C078	ACCOUNT IDENTIFICATION	C		
3194	Account holder number	C	an..35	Reference number(an8)
3192	Account holder name	C	an..35	
3192	Account holder name	C	an..35	
6345	Currency, coded	C	an..3	
C088	INSTITUTION IDENTIFICATION	C		
3433	Institution name identification	C	an..11	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
3434	Institution branch number	C	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
3432	Institution name	C	an..350	
3436	Institution branch place	C	an..70	
3207	Country, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR -
VALIDITY LIMITATION EC**

Codelist

Segment	Field	Qualifier	Card	Element	Value	Codelist
3035	Party qualifier		M	an..3	'AN'	
C078	ACCOUNT IDENTIFICATION		C			
3194	Account holder number		C	an..35		
3192	Account holder name		C	an..35		
3192	Account holder name		C	an..35		
6345	Currency, coded		C	an..3	<i>Not valid for EC(n1)</i>	27
C088	INSTITUTION IDENTIFICATION		C			
3433	Institution name identification		C	an..11		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
3434	Institution branch number		C	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
3432	Institution name		C	an..350		
3436	Institution branch place		C	an..70		
3207	Country, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR -
VALIDITY LIMITATION NON EC**

Codelist

Segment	Field	Qualifier	Field	Length	Value	Codelist
3035	Party qualifier	M	an..3		'U'	
C078	ACCOUNT IDENTIFICATION	C				
3194	Account holder number	C	an..35			
3192	Account holder name	C	an..35			
3192	Account holder name	C	an..35			
6345	Currency, coded	C	an..3			
C088	INSTITUTION IDENTIFICATION	C				
3433	Institution name identification	C	an..11			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
3434	Institution branch number	C	an..17			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
3432	Institution name	C	an..350			
3436	Institution branch place	C	an..70			
3207	Country, coded	C	an..3		Not valid for other contracting parties(a2)	71

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE - GOODS ITEM**

Codelist

Segment	Field	Qualifier	Card	Element	Description	Codelist
3035	Party qualifier	M	an..3		'CG'	
C078	ACCOUNT IDENTIFICATION	C				
3194	Account holder number	C	an..35			
3192	Account holder name	C	an..35			
3192	Account holder name	C	an..35			
6345	Currency, coded	C	an..3			
C088	INSTITUTION IDENTIFICATION	C				
3433	Institution name identification	C	an..11		<i>Commodity code(an..22)</i>	
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
3434	Institution branch number	C	an..17			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
3432	Institution name	C	an..350			
3436	Institution branch place	C	an..70			
3207	Country, coded	C	an..3		<i>Sensitive goods code(n..2)</i>	64

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[24],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR -
GOODS ITEM**

Codelist

Segment	Field	Qualifier	Card	Element	Value	Codelist
3035	Party qualifier		M	an..3	'GG'	
C078	ACCOUNT IDENTIFICATION		C			
3194	Account holder number		C	an..35		
3192	Account holder name		C	an..35		
3192	Account holder name		C	an..35		
6345	Currency, coded		C	an..3		
C088	INSTITUTION IDENTIFICATION		C			
3433	Institution name identification		C	an..11	<i>Commodity code(an..22)</i>	
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
3434	Institution branch number		C	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
3432	Institution name		C	an..350		
3436	Institution branch place		C	an..70		
3207	Country, coded		C	an..3	<i>Sensitive goods code(n..2)</i>	64

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

COM[26],COMMUNICATION CONTACT,C,5x

**MESSAGE - GUARANTEE REFERENCE -
COMPREHENSIVE GUARANTEE - GOODS ITEM**

Codelist

C076	COMMUNICATION CONTACT	M				
3148	Communication number	M	an..512	Goods description(an..280)		
3155	Communication channel qualifier	C	an..3	Goods description LNG(a2)		12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

COM[26],COMMUNICATION CONTACT,C,5x

**MESSAGE - GUARANTEE REFERENCE -
INDIVIDUAL GUARANTEE BY GUARANTOR -
GOODS ITEM**

Codelist

C076	COMMUNICATION CONTACT	M				
3148	Communication number	M	an..512	<i>Goods description(an..280)</i>		
3155	Communication channel qualifier	C	an..3	<i>Goods description LNG(a2)</i>		12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[27],NAME AND ADDRESS,C,99x					MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'		
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35	TIN(an..17)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C058	NAME AND ADDRESS	C				
3124	Name and address line	M	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
C080	PARTY NAME	C				
3036	Party name	M	an..35	Name(an..35)		
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3045	Party name format, coded	C	an..3			
C059	STREET	C				
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)		
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3164	City name	C	an..35	City(an..35)		
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)		12
3251	Postcode identification	C	an..9	Postal code(an..9)		
3207	Country, coded	C	an..3	Country code(a2)		8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[27],NAME AND ADDRESS,C,99x				MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES	Codelist
3035	Party qualifier	M	an..3	'AH'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Language code(a2)	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35	Address type(a1)	25
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35	Phone number(an..35)	
3124	Name and address line	C	an..35	Fax number(an..35)	
3124	Name and address line	C	an..35	Telex number(an..35)	
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35	Contact person(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35	E-mail address(an..70)	
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	70

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[33],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message --'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[34],INTERCHANGE TRAILER,M,1x

0036	Interchange control count	M	n..6	'-- Interchange control count --'	
0020	Interchange control reference	M	an..14	Interchange control reference(an..14)	

MESSAGE

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CONTRL

UNB[0],INTERCHANGE HEADER,M,1x

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'CONTRL'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'3'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2		
0073	First and last transfer	C	a1		

4. EDIFACT

UCI[2],INTERCHANGE RESPONSE,M,1x

				MESSAGE - INTERCHANGE ERRORS	Codelist
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4		
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4		
0014	Routing address	C	an..14		
0083	Action, coded	M	an..3	<i>Action taken by recipient(an..3)</i>	32
0085	Syntax error, coded	C	an..3	<i>Syntax error(n..2)</i>	23
0013	Service segment tag, coded	C	a3	<i>Interchange service segment(a3)</i>	33
S011	DATA ELEMENT IDENTIFICATION	C			
0098	Erroneous data element position in segment	M	n..3	<i>Position of erroneous data element(n..3)</i>	
0104	Erroneous component data element in position	C	n..3	<i>Position of erroneous data component(n..3)</i>	

4. EDIFACT

UCM[3],MESSAGE RESPONSE,C,99999x

				MESSAGE - MESSAGE ERRORS	Codelist
0062	Message reference number	M	an..14	<i>Message identification(an..14)</i>	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	<i>Message type(an..6)</i>	1
0052	Message version number	M	an..3	<i>Message version(an..3)</i>	35
0054	Message release number	M	an..3	<i>Message release number(an..3)</i>	36
0051	Controlling agency	M	an..2	<i>Controlling agency(an..2)</i>	37
0057	Association assigned code	C	an..6	<i>Association assigned code(an..6)</i>	
0083	Action, coded	M	an..3	<i>Action taken by recipient(an..3)</i>	32
0085	Syntax error, coded	C	an..3	<i>Error(n..2)</i>	23
0013	Service segment tag, coded	C	a3	<i>Message service segment(a3)</i>	34
S011	DATA ELEMENT IDENTIFICATION	C			
0098	Erroneous data element position in segment	M	n..3	<i>Position of erroneous data element(n..3)</i>	
0104	Erroneous component data element in position	C	n..3	<i>Position of erroneous data component(n..3)</i>	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UCS[4],SEGMENT ERROR DESCRIPTION,C,999x				MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS	Codelist
0096	Segment position in tag	M	n..6	<i>Segment position in message(n..6)</i>	
0085	Syntax error, coded	C	an..3	<i>Error(n..2)</i>	23

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UCD[5],DATA ELEMENT ERROR INDICATION,C,99x				MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS - DATA ELEMENT ERRORS	Codelist
0085	Syntax error, coded	M	an..3	<i>Error(n..2)</i>	23
S011	DATA ELEMENT IDENTIFICATION	M			
0098	Erroneous data element position in segment	M	n..3	<i>Position of erroneous data element(n..3)</i>	
0104	Erroneous component data element in position	C	n..3	<i>Position of erroneous data component(n..3)</i>	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[10],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[11],INTERCHANGE TRAILER,M,1x

0036	Interchange control count	M	n..6	'-- Interchange control count'	
0020	Interchange control reference	M	an..14	Interchange control reference(an..14)	

MESSAGE

Codelist

4. EDIFACT

CUSDEC**UNB[0],INTERCHANGE HEADER,M,1x**

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'CUSDEC'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2	Message sequence number(n..2)	
0073	First and last transfer	C	a1	First and last transfer(a1)	28

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

BGM[2],BEGINNING OF MESSAGE,M,1x				MESSAGE - HEADER	Codelist
C002	DOCUMENT/MESSAGE NAME	C			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35	<i>Type of declaration(an..9)</i>	31
C106	DOCUMENT/MESSAGE IDENTIFICATION	C			
1004	Document/message number	C	an..35	<i>Document/reference number(an..21)</i>	
1056	Version	C	an..9		
1060	Revision number	C	an..6		
1225	Message function, coded	C	an..3		
4343	Response type, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

**MESSAGE - (DESTINATION DECLARED) CUSTOMS Codelist
OFFICE**

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'122'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (ACTUAL OFFICE OF TRANSIT) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'65'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3	<i>Guarantee not valid for country(n1)</i>	27
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'14'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Agreed location of goods, code(an..17)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Agreed location of goods(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25	<i>Authorised location of goods, code(an..17)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3	<i>Agreed location of goods LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (RETURN COPIES) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'168'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	Customs office name(an..35)	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25	Country code(a2)	9
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70	Street and number(an..35)	
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25	Postal code(an..9)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70	City(an..35)	
5479	Relation, coded	C	an..3	NAD LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'20'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Arrival agreed Location code(an..17)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Arrival agreed Location of goods(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3	<i>Arrival agreed Location of goods LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE

Codelist

'22'
Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'26'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Customs sub place(an..17)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'35'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Country of dispatch/export code(a2)</i>	8
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'36'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Country of destination code(a2)</i>	8
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (DESTINATION) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'45'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'5'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Country of departure code(a2)</i>	9
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'60'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Arrival notification place(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3	<i>Arrival notification place LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'84'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Arrival authorised location of goods(an..17)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'9'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Place of loading, code(an..17)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'91'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Declaration place(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3	<i>Declaration place LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'112'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Amendment place(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3	<i>Amendment place LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE

Codelist

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'120'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (INVOLVED) COUNTRY	Codelist
3227	Place/location qualifier	M	an..3	'25'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	Country code(a2)	8
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (REQUESTED) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'96'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (GUARANTEE) COUNTRY	Codelist
3227	Place/location qualifier	M	an..3	'86'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	Country code(a2)	70
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (EXPORT) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'116'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (EXIT DECLARED) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'115'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'5'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (DEPARTURE) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'118'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (TRANSIT) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'50'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25	<i>Arrival Time(n12)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - HEADER	Codelist
3227	Place/location qualifier	M	an..3	'58'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Place of unloading LNG(a2)</i>	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Place of unloading, code(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (COMPETENT AUTHORITY OF REQUESTED COUNTRY) CUSTOMS OFFICE

Codelist

LOC	DESCRIPTION	QUALIFIER	DATA TYPE	LENGTH	REMARKS
3227	Place/location qualifier	M	an..3		'169'
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		Reference number(an8)
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (COMPETENT AUTHORITY OF REQUESTING COUNTRY) CUSTOMS OFFICE

Codelist

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'167'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (COMPETENT AUTHORITY OF DESTINATION) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'167'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (GUARANTEE) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'119'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (TRANSIT DECLARED) CUSTOMS OFFICE

Codelist

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'52'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (REQUESTER) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'95'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE

Codelist

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'158'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'132'	
2380	Date/time/period	C	an..35	Arrival notification date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'137'	
2380	Date/time/period	C	an..35	Declaration date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'148'	
2380	Date/time/period	C	an..35	Acceptance date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'182'	
2380	Date/time/period	C	an..35	Issuing date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'261'	
2380	Date/time/period	C	an..35	<i>Date of release request(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'184'	
2380	Date/time/period	C	an..35	Amendment acceptance date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x			MESSAGE - CONTROL RESULT		Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'268'	
2380	Date/time/period	C	an..35	<i>Date limit(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'318'	
2380	Date/time/period	C	an..35	<i>Date of cancellation request(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'46'	
2380	Date/time/period	C	an..35	<i>Date of cancellation(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - CONTROL RESULT	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'9'	
2380	Date/time/period	C	an..35	Control date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'89'	
2380	Date/time/period	C	an..35	Guarantor notification date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'226'	
2380	Date/time/period	C	an..35	<i>Discrepancies notification date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'218'	
2380	Date/time/period	C	an..35	<i>Discrepancies solved notification date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'317'	
2380	Date/time/period	C	an..35	<i>Amendment rejection date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'318'	
2380	Date/time/period	C	an..35	<i>Date of amendment(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'265'	
2380	Date/time/period	C	an..35		
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'204'	
2380	Date/time/period	C	an..35	Write-off date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x		MESSAGE - PASSAGE			Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'219'	
2380	Date/time/period	C	an..35	<i>Date of passage(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'153'	
2380	Date/time/period	C	an..35	<i>Date of usage cancellation(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'296'	
2380	Date/time/period	C	an..35	<i>Date of release(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'153'	
2380	Date/time/period	C	an..35	<i>Date of request on non-arrived movement(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'2'	
2380	Date/time/period	C	an..35	<i>Date limit for response(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x

				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'46'	
2380	Date/time/period	C	an..35	Cancel enquiry notification date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'178'	
2380	Date/time/period	C	an..35	Arrival date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'150'	
2380	Date/time/period	C	an..35		
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'221'	
2380	Date/time/period	C	an..35		
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'312'	
2380	Date/time/period	C	an..35		
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[5],DATE/TIME/PERIOD,C,15x				MESSAGE - ENQUIRY	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'316'	
2380	Date/time/period	C	an..35	Enquiry date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Containerised indicator(n1)</i>	27
1131	Code list qualifier	C	an..3	'109'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Simplified procedure flag(n1)</i>	27
1131	Code list qualifier	C	an..3	'119'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - CONTROL RESULT	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3		
1131	Code list qualifier	C	an..3	'128'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - CTL_CONTROL	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Amendment type flag(n1)</i>	27
1131	Code list qualifier	C	an..3	'165'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - CONTROL RESULT	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>State of seals ok(n1)</i>	27
1131	Code list qualifier	C	an..3	'131'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Release requested(n1)</i>	27
1131	Code list qualifier	C	an..3	'148'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>NCTS return copy(n1)</i>	27
1131	Code list qualifier	C	an..3	'62'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x			MESSAGE - CTL_CONTROL		Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Continue unloading(n1)</i>	
1131	Code list qualifier	C	an..3	'63'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - CTL_CONTROL	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Sensitive goods flag(n1)</i>	27
1131	Code list qualifier	C	an..3	'64'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

4. EDIFACT

GIS[6],GENERAL INDICATOR,C,25x

Code	Description	Card	Control	Field Name	Field Length	Field Value
C529	PROCESSING INDICATOR	M				
7365	Processing indicator, coded	M	an..3	<i>Suspended goods flag(n1)</i>		
1131	Code list qualifier	C	an..3	'5'		
3055	Code list responsible agency, coded	C	an..3			
7187	Process type identification	C	an..17			

MESSAGE - CTL_CONTROL

Codelist

27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	Status(an3)	58
1131	Code list qualifier	C	an..3	'120'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - ENQUIRY	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>TC11 delivered by Customs(n1)</i>	27
1131	Code list qualifier	C	an..3	'126'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3		
1131	Code list qualifier	C	an..3	'22'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - CONTROL RESULT	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Waiting for discrepancies resolution(n1)</i>	27
1131	Code list qualifier	C	an..3	<i>'128'</i>	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[6],GENERAL INDICATOR,C,25x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Security(n1)</i>	117
1131	Code list qualifier	C	an..3	'187'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[7],FINANCIAL INSTITUTION INFORMATION,C,1x				MESSAGE - HEADER	Codelist
3035	Party qualifier	M	an..3	'XX'	
C078	ACCOUNT IDENTIFICATION	C			
3194	Account holder number	C	an..35		
3192	Account holder name	C	an..35		
3192	Account holder name	C	an..35		
6345	Currency, coded	C	an..3		
C088	INSTITUTION IDENTIFICATION	C			
3433	Institution name identification	C	an..11		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3434	Institution branch number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3432	Institution name	C	an..350		
3436	Institution branch place	C	an..70	<i>Commercial Reference Number(an..70)</i>	
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MEA[8],MEASUREMENTS,C,5x				MESSAGE - HEADER	Codelist
6311	Measurement application qualifier	M	an..3	'WT'	
C502	MEASUREMENT DETAILS	C			
6313	Measurement dimension, coded	C	an..3	'AAD'	
6321	Measurement significance, coded	C	an..3		
6155	Measurement attribute identification	C	an..17		
6154	Measurement attribute	C	an..70		
C174	VALUE/RANGE	C			
6411	Measure unit qualifier	M	an..3	'KGM'	
6314	Measurement value	C	an..18	Total gross mass(n..11,3)	
6162	Range minimum	C	n..18		
6152	Range maximum	C	n..18		
6432	Significant digits	C	n..2		
7383	Surface/layer indicator, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

EQD[9],EQUIPMENT DETAILS,C,999x				MESSAGE - ITINERARY	Codelist
8053	Equipment qualifier	M	an..3	'CH'	
C237	EQUIPMENT IDENTIFICATION	C			
8260	Equipment identification number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3207	Country, coded	C	an..3	Country of routing code(a2)	8
C224	EQUIPMENT SIZE AND TYPE	C			
8155	Equipment size and type identification	C	an..10		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8154	Equipment size and type	C	an..35		
8077	Equipment supplier, coded	C	an..3		
8249	Equipment status, coded	C	an..3		
8169	Full/empty indicator, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEL[10],SEAL NUMBER,C,999x				MESSAGE - SEALS INFO - SEALS ID	Codelist
9308	Seal number	M	an..10	'0'	
C215	SEAL ISSUER	C			
9303	Sealing party, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
9302	Sealing party	C	an..35	<i>Seals identity(an..20)</i>	
4517	Seal condition, coded	C	an..3	<i>Seals identity LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEL[10],SEAL NUMBER,C,999x				MESSAGE - SEALS ID	Codelist
9308	Seal number	M	an..10	'5'	
C215	SEAL ISSUER	C			
9303	Sealing party, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
9302	Sealing party	C	an..35	<i>Seals identity(an..20)</i>	
4517	Seal condition, coded	C	an..3	<i>Seals identity LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - CTL_CONTROL	Codelist
4451	Text subject qualifier	M	an..3	'AAP'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Incident notified(n1)</i>	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3	<i>Transshipment notified(n1)</i>	27
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Other movement information request(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Other movement information request LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - CTL_CONTROL	Codelist
4451	Text subject qualifier	M	an..3	'AAP'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Transit operation state type(an..3)</i>	58
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Other movement information response(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Other movement information response LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABL'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Binding itinerary(n1)</i>	27
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABQ'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>No release motivation(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>No release motivation LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - RESULTS OF CONTROL	Codelist
4451	Text subject qualifier	M	an..3	'ABV'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Control indicator(an2)</i>	41
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Pointer to the attribute(an..35)</i>	
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70	<i>'-- Continued 70 --'</i>	
4440	Free text	C	an..70	<i>Corrected value(an..27)</i>	
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Description LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACB'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Dialog language indicator at departure(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACB'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Dialog language indicator at destination(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	AAR rejection reason LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Cancellation reason(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Cancellation reason LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Amendment rejection motivation code(n1)</i>	45
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Amendment rejection motivation text(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Amendment rejection motivation text LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	ATR rejection reason code(n..2)	44
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	ATR rejection reason(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	ATR rejection reason LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABX'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Ask for documents text(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Ask for documents text LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABO'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Discrepancies notification text(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Discrepancies notification text LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABO'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Discrepancies solved notification code(an..2)</i>	69
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Discrepancies solved notification text(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Discrepancies solved notification text LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Diversion rejection code(n..2)</i>	46
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Diversion rejection text(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Diversion rejection text LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'AAG'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Guarantor notification text(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	Guarantor notification text LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - CONTROL RESULT	Codelist
4451	Text subject qualifier	M	an..3	'ADO'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Control result code(an2)	47
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ALL'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>NCTS accompanying document language code(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - CONTROL RESULT	Codelist
4451	Text subject qualifier	M	an..3	'CUR'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Remark(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	Remark LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABG'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Cancel enquiry notification remarks(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	Cancel enquiry notification remarks LNG(a2)	12

4. EDIFACT

FTX[11],FREE TEXT,C,99x

4451	Text subject qualifier	M	an..3	
4453	Text function, coded	C	an..3	
C107	TEXT REFERENCE	C		
4441	Free text identification	M	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
C108	TEXT LITERAL	C		
4440	Free text	C	an..70	
4440	Free text	C	an..70	
4440	Free text	C	an..70	
4440	Free text	C	an..70	
4440	Free text	C	an..70	
3453	Language, coded	C	an..3	

MESSAGE - HEADER

Codelist

'AAL'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - ENQUIRY	Codelist
4451	Text subject qualifier	M	an..3	'QUT'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Information text(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Information text LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - CTL_CONTROL	Codelist
4451	Text subject qualifier	M	an..3	'AAP'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACG'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ADM'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'PAI'	
4453	Text function, coded	C	an..3	Transport charges/ Method of Payment(a1)	116
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

4. EDIFACT

FTX[11],FREE TEXT,C,99x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - HEADER

Codelist

'ACR'

Conveyance reference number(an..35)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - (COMPETENT AUTHORITY OF DESTINATION) CUSTOMS OFFICE	Codelist
4451	Text subject qualifier	M	an..3	'CC'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Reply Address(an..140)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Reply Address LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - (COMPETENT AUTHORITY OF DESTINATION) CUSTOMS OFFICE

Codelist

'CEX'
<i>Contact person Details(an..140)</i>
<i>'-- Continued 70 --'</i>
<i>Contact person Details LNG(a2)</i>

12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - ENQUIRY INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'S/C'	
4453	Text function, coded	C	an..3	Information Code(n2)	119
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Information text(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Information text LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - ENQUIRY	Codelist
4451	Text subject qualifier	M	an..3	'QUT'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Delivery date TC11(n8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - ENQUIRY	Codelist
4451	Text subject qualifier	M	an..3	'RQR'	
4453	Text function, coded	C	an..3	Information from Principal available(n1)	27
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Enquiry request date(n8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'OSI'	
4453	Text function, coded	C	an..3	<i>Information (on paper) available(n1)</i>	27
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Information text(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Information text LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x					MESSAGE - REQUEST FOR ENQUIRY INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'MKS'		
4453	Text function, coded	C	an..3	<i>Requested Information Code(n1)</i>	118	
C107	TEXT REFERENCE	C				
4441	Free text identification	M	an..17			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C108	TEXT LITERAL	C				
4440	Free text	C	an..70	<i>Requested Information Text(an..140)</i>		
4440	Free text	C	an..70			
4440	Free text	C	an..70			
4440	Free text	C	an..70			
4440	Free text	C	an..70			
3453	Language, coded	C	an..3	<i>Requested Information Text LNG(a2)</i>	12	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	AAR rejection reason code(n..2)	43
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	AAR rejection reason(an..350)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - REPRESENTATIVE	Codelist
4451	Text subject qualifier	M	an..3	'ACP'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Representative capacity(an..35)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Representative capacity LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'IND'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Contact person Details(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Contact person Details LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - (DEPARTURE) CUSTOMS OFFICE	Codelist
4451	Text subject qualifier	M	an..3	'SPH'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Address(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Address LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x				MESSAGE - (DEPARTURE) CUSTOMS OFFICE	Codelist
4451	Text subject qualifier	M	an..3	'SSR'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Contact person Details(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Contact person Details LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE

'CUS'
<i>Address(an..140)</i>
<i>Address LNG(a2)</i>

Codelist

12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[11],FREE TEXT,C,99x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE

Codelist

'CHG'
<i>Contact person Details(an..140)</i>
<i>Contact person Details LNG(a2)</i>

12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x				MESSAGE - HEADER	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABE'	
1154	Reference number	C	an..35	Reference number(an..22)	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x				MESSAGE - HEADER	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'LAN'	
1154	Reference number	C	an..35	Authorisation id(an..17)	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x				MESSAGE - HEADER	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'AAT'	
1154	Reference number	C	an..35		
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x				MESSAGE - HEADER	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'AMJ'	
1154	Reference number	C	an..35	<i>Specific Circumstance Indicator(a1)</i>	96
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x				MESSAGE - GUARANTEE	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABL'	
1154	Reference number	C	an..35	Guarantee type(an1)	51
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x

MESSAGE - GUARANTEE - GUARANTEE
REFERENCE

Codelist

C506	REFERENCE	M		
1153	Reference qualifier	M	an..3	'ABL'
1154	Reference number	C	an..35	
1156	Line number	C	an..6	
4000	Reference version number	C	an..35	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x

MESSAGE - GUARANTEE - GUARANTEE
REFERENCE - VALIDITY LIMITATION NON EC

Codelist

C506	REFERENCE	M		
1153	Reference qualifier	M	an..3	'ABL'
1154	Reference number	C	an..35	
1156	Line number	C	an..6	
4000	Reference version number	C	an..35	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x		MESSAGE - EN ROUTE EVENT			Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'A/V'	
1154	Reference number	C	an..35	Place(an..35)	
1156	Line number	C	an..6	Place LNG(a2)	12
4000	Reference version number	C	an..35		

4. EDIFACT

RFF[12],REFERENCE,C,99x

MESSAGE - HEADER

Codelist

C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABP'	
1154	Reference number	C	an..35	Security code(an..8)	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x

MESSAGE - GUARANTEE REFERENCE - INVALID Codelist
 GUARANTEE REASON

C506	REFERENCE	M		
1153	Reference qualifier	M	an..3	'ABK'
1154	Reference number	C	an..35	
1156	Line number	C	an..6	
4000	Reference version number	C	an..35	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,99x				MESSAGE - GUARANTEE REFERENCE	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABK'	
1154	Reference number	C	an..35		
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[13],DATE/TIME/PERIOD,C,1x				MESSAGE - EN ROUTE EVENT - CTL_CONTROL	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'311'	
2380	Date/time/period	C	an..35	Already in NCTS(n1)	27
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x					MESSAGE - GUARANTEE - GUARANTEE REFERENCE	Codelist
7224	Number of packages	C	n..8	'1'		
C531	PACKAGING DETAILS	C				
7075	Packaging level, coded	C	an..3			
7233	Packaging related information, coded	C	an..3			
7073	Packaging terms and conditions, coded	C	an..3			
C202	PACKAGE TYPE	C				
7065	Type of packages identification	C	an..17			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
7064	Type of packages	C	an..35	<i>Amount concerned(n..15,2)</i>		
C402	PACKAGE TYPE IDENTIFICATION	C				
7077	Item description type, coded	C	an..4	<i>Access code(an4)</i>		
7064	Type of packages	C	an..35	<i>Guarantee reference number (GRN)(an..24)</i>		
7143	Item number type, coded	C	an..3			
7064	Type of packages	C	an..35	<i>Other guarantee reference(an..35)</i>		
7143	Item number type, coded	C	an..3	<i>Currency(an3)</i>		48
C532	RETURNABLE PACKAGE DETAILS	C				
8395	Returnable package freight payment responsibility, coded	C	an..3			
8393	Returnable package load contents, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION EC	Codelist
7224	Number of packages	C	n..8	'1'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3		
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION NON EC	Codelist
7224	Number of packages	C	n..8	'1'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3		
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - EN ROUTE EVENT	Codelist
7224	Number of packages	C	n..8	2'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3		
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4	Country code(a2)	9
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - EN ROUTE EVENT - INCIDENT	Codelist
7224	Number of packages	C	n..8	'3'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3	<i>Incident flag(n1)</i>	27
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - EN ROUTE EVENT - SEALS INFO	Codelist
7224	Number of packages	C	n..8	'4'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3		
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4	<i>Seals number(n..4)</i>	
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - EN ROUTE EVENT - SEALS INFO - SEALS ID	Codelist
7224	Number of packages	C	n..8	'4'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3		
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - EN ROUTE EVENT - TRANSHIPMENT	Codelist
7224	Number of packages	C	n..8	'5'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3		
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35	<i>New transport means nationality(a2)</i>	8
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x

**MESSAGE - GUARANTEE REFERENCE - INVALID Codelist
GUARANTEE REASON**

7224	Number of packages	C	n..8
C531	PACKAGING DETAILS	C	
7075	Packaging level, coded	C	an..3
7233	Packaging related information, coded	C	an..3
7073	Packaging terms and conditions, coded	C	an..3
C202	PACKAGE TYPE	C	
7065	Type of packages identification	C	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7064	Type of packages	C	an..35
C402	PACKAGE TYPE IDENTIFICATION	C	
7077	Item description type, coded	C	an..4
7064	Type of packages	C	an..35
7143	Item number type, coded	C	an..3
7064	Type of packages	C	an..35
7143	Item number type, coded	C	an..3
C532	RETURNABLE PACKAGE DETAILS	C	
8395	Returnable package freight payment responsibility, coded	C	an..3
8393	Returnable package load contents, coded	C	an..3

'1'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[14],PACKAGE,C,99x				MESSAGE - GUARANTEE REFERENCE	Codelist
7224	Number of packages	C	n..8		
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3	'1'	
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4		
7064	Type of packages	C	an..35	Guarantee reference number (GRN)(an..24)	
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35		
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x

MESSAGE - GUARANTEE - GUARANTEE
REFERENCE - VALIDITY LIMITATION EC

Codelist

Segment	Description	Code	Length	Notes	Codelist
4233	Marking instructions, coded	C	an..3	'19'	
C210	MARKS & LABELS	C			
7102	Shipping marks	C	an..35	Not valid for EC(n1)	27
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
8275	Container/package status, coded	C	an..3		
C827	TYPE OF MARKING	C			
7511	Type of marking, coded	M	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x

4233	Marking instructions, coded	C	an..3
C210	MARKS & LABELS	C	
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
8275	Container/package status, coded	C	an..3
C827	TYPE OF MARKING	C	
7511	Type of marking, coded	M	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

**MESSAGE - GUARANTEE - GUARANTEE
REFERENCE - VALIDITY LIMITATION NON EC**

Codelist

'28'	
<i>Not valid for other contracting parties(a2)</i>	71

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x				MESSAGE - EN ROUTE EVENT - INCIDENT	Codelist
4233	Marking instructions, coded	C	an..3	'18'	
C210	MARKS & LABELS	C			
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
8275	Container/package status, coded	C	an..3		
C827	TYPE OF MARKING	C			
7511	Type of marking, coded	M	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x				MESSAGE - EN ROUTE EVENT - INCIDENT	Codelist
4233	Marking instructions, coded	C	an..3	'18'	
C210	MARKS & LABELS	C			
7102	Shipping marks	C	an..35	<i>Endorsement date(n8)</i>	
7102	Shipping marks	C	an..35	<i>Endorsement authority(an..35)</i>	
7102	Shipping marks	C	an..35	<i>Endorsement authority LNG(a2)</i>	12
7102	Shipping marks	C	an..35	<i>Endorsement place(an..35)</i>	
7102	Shipping marks	C	an..35	<i>Endorsement place LNG(a2)</i>	12
7102	Shipping marks	C	an..35	<i>Endorsement country(a2)</i>	9
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
8275	Container/package status, coded	C	an..3		
C827	TYPE OF MARKING	C			
7511	Type of marking, coded	M	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x

4233	Marking instructions, coded	C	an..3
C210	MARKS & LABELS	C	
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
8275	Container/package status, coded	C	an..3
C827	TYPE OF MARKING	C	
7511	Type of marking, coded	M	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

MESSAGE - EN ROUTE EVENT - SEALS INFO - SEALS ID

'21'	
<i>Seals identity(an..20)</i>	
<i>Seals identity LNG(a2)</i>	12

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x				MESSAGE - EN ROUTE EVENT - TRANSHIPMENT	Codelist
4233	Marking instructions, coded	C	an..3	'23'	
C210	MARKS & LABELS	C			
7102	Shipping marks	C	an..35	<i>Endorsement date(n8)</i>	
7102	Shipping marks	C	an..35	<i>Endorsement authority(an..35)</i>	
7102	Shipping marks	C	an..35	<i>Endorsement authority LNG(a2)</i>	12
7102	Shipping marks	C	an..35	<i>Endorsement place(an..35)</i>	
7102	Shipping marks	C	an..35	<i>Endorsement place LNG(a2)</i>	12
7102	Shipping marks	C	an..35	<i>Endorsement country(a2)</i>	9
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
8275	Container/package status, coded	C	an..3		
C827	TYPE OF MARKING	C			
7511	Type of marking, coded	M	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x

4233	Marking instructions, coded	C	an..3
C210	MARKS & LABELS	C	
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
8275	Container/package status, coded	C	an..3
C827	TYPE OF MARKING	C	
7511	Type of marking, coded	M	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

MESSAGE - EN ROUTE EVENT - TRANSHIPMENT - Codelist CONTAINERS

'30'
Container number(an..17)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[15],PACKAGE IDENTIFICATION,C,999x

**MESSAGE - GUARANTEE REFERENCE - INVALID
GUARANTEE REASON** Codelist

4233	Marking instructions, coded	C	an..3
C210	MARKS & LABELS	C	
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
7102	Shipping marks	C	an..35
8275	Container/package status, coded	C	an..3
C827	TYPE OF MARKING	C	
7511	Type of marking, coded	M	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[16],FREE TEXT,C,1x				MESSAGE - EN ROUTE EVENT - INCIDENT	Codelist
4451	Text subject qualifier	M	an..3	'ABM'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Incident information(an..350)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Incident information LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[16],FREE TEXT,C,1x				MESSAGE - EN ROUTE EVENT - TRANSHIPMENT	Codelist
4451	Text subject qualifier	M	an..3	'TRA'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>New transport means identity(an..27)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>New transport means identity LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[16],FREE TEXT,C,1x				MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON	Codelist
4451	Text subject qualifier	M	an..3	'AUT'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Invalid guarantee reason code(an..3)</i>	52
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Invalid guarantee reason(an..350)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Invalid guarantee reason LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TDT[17],DETAILS OF TRANSPORT,C,5x				MESSAGE - HEADER	Codelist
8051	Transport stage qualifier	M	an..3	'1'	
8028	Conveyance reference number	C	an..17		
C220	MODE OF TRANSPORT	C			
8067	Mode of transport, coded	C	an..3	<i>Inland transport mode(n..2)</i>	18
8066	Mode of transport	C	an..17		
C228	TRANSPORT MEANS	C			
8179	Type of means of transport identification	C	an..8		
8178	Type of means of transport	C	an..17		
C040	CARRIER	C			
3127	Carrier identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3128	Carrier name	C	an..35		
8101	Transit direction, coded	C	an..3		
C401	EXCESS TRANSPORTATION INFORMATION	C			
8457	Excess transportation reason, coded	M	an..3		
8459	Excess transportation responsibility, coded	M	an..3		
7130	Customer authorization number	C	an..17		
C222	TRANSPORT IDENTIFICATION	C			
8213	Id. of means of transport identification	C	an..9		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35		
8453	Nationality of means of transport, coded	C	an..3		
8281	Transport ownership, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TDT[17],DETAILS OF TRANSPORT,C,5x				MESSAGE - HEADER	Codelist
8051	Transport stage qualifier	M	an..3	'11'	
8028	Conveyance reference number	C	an..17		
C220	MODE OF TRANSPORT	C			
8067	Mode of transport, coded	C	an..3	<i>Transport mode at border(n..2)</i>	18
8066	Mode of transport	C	an..17		
C228	TRANSPORT MEANS	C			
8179	Type of means of transport identification	C	an..8	<i>Type of means of transport crossing border(n..2)</i>	
8178	Type of means of transport	C	an..17		
C040	CARRIER	C			
3127	Carrier identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3128	Carrier name	C	an..35		
8101	Transit direction, coded	C	an..3		
C401	EXCESS TRANSPORTATION INFORMATION	C			
8457	Excess transportation reason, coded	M	an..3		
8459	Excess transportation responsibility, coded	M	an..3		
7130	Customer authorization number	C	an..17		
C222	TRANSPORT IDENTIFICATION	C			
8213	Id. of means of transport identification	C	an..9		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35	<i>Identity of means of transport crossing border(an..27)</i>	
8453	Nationality of means of transport, coded	C	an..3	<i>Nationality of means of transport crossing border(a2)</i>	8
8281	Transport ownership, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TDT[17],DETAILS OF TRANSPORT,C,5x				MESSAGE - HEADER	Codelist
8051	Transport stage qualifier	M	an..3	'12'	
8028	Conveyance reference number	C	an..17		
C220	MODE OF TRANSPORT	C			
8067	Mode of transport, coded	C	an..3		
8066	Mode of transport	C	an..17		
C228	TRANSPORT MEANS	C			
8179	Type of means of transport identification	C	an..8		
8178	Type of means of transport	C	an..17		
C040	CARRIER	C			
3127	Carrier identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3128	Carrier name	C	an..35		
8101	Transit direction, coded	C	an..3		
C401	EXCESS TRANSPORTATION INFORMATION	C			
8457	Excess transportation reason, coded	M	an..3		
8459	Excess transportation responsibility, coded	M	an..3		
7130	Customer authorization number	C	an..17		
C222	TRANSPORT IDENTIFICATION	C			
8213	Id. of means of transport identification	C	an..9		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35	<i>Identity of means of transport at departure (exp/trans)(an..27)</i>	
8453	Nationality of means of transport, coded	C	an..3		
8281	Transport ownership, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TDT[17],DETAILS OF TRANSPORT,C,5x				MESSAGE - HEADER	Codelist
8051	Transport stage qualifier	M	an..3	'12'	
8028	Conveyance reference number	C	an..17		
C220	MODE OF TRANSPORT	C			
8067	Mode of transport, coded	C	an..3		
8066	Mode of transport	C	an..17		
C228	TRANSPORT MEANS	C			
8179	Type of means of transport identification	C	an..8		
8178	Type of means of transport	C	an..17		
C040	CARRIER	C			
3127	Carrier identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3128	Carrier name	C	an..35		
8101	Transit direction, coded	C	an..3		
C401	EXCESS TRANSPORTATION INFORMATION	C			
8457	Excess transportation reason, coded	M	an..3		
8459	Excess transportation responsibility, coded	M	an..3		
7130	Customer authorization number	C	an..17		
C222	TRANSPORT IDENTIFICATION	C			
8213	Id. of means of transport identification	C	an..9		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35		
8453	Nationality of means of transport, coded	C	an..3	<i>Nationality of means of transport at departure(a2)</i>	8
8281	Transport ownership, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TPL[18],TRANSPORT PLACEMENT,C,1x				MESSAGE - HEADER	Codelist
C222	TRANSPORT IDENTIFICATION		M		
8213	Id. of means of transport identification		C	an..9	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
8212	Id. of the means of transport		C	an..35	
8453	Nationality of means of transport, coded		C	an..3	<i>Identity of means of transport crossing border LNG(a2)</i> 12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TPL[18],TRANSPORT PLACEMENT,C,1x				MESSAGE - HEADER	Codelist
C222	TRANSPORT IDENTIFICATION	M			
8213	Id. of means of transport identification	C	an..9		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35		
8453	Nationality of means of transport, coded	C	an..3	<i>Identity of means of transport at departure LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (CONSIGNEE) TRADER	Codelist
3035	Party qualifier	M	an..3	'CN'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (DESTINATION) TRADER	Codelist
3035	Party qualifier	M	an..3	'CPD'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (CONSIGNOR) TRADER	Codelist
3035	Party qualifier	M	an..3	'CZ'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - CONTROL RESULT	Codelist
3035	Party qualifier	M	an..3	'E'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Controlled by(an..35)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3	Controlled by LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (CONSIGNOR-SECURITY) TRADER	Codelist
3035	Party qualifier	M	an..3	'GL'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (CONSIGNEE-SECURITY) TRADER	Codelist
3035	Party qualifier	M	an..3	'UC'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (CARRIER) TRADER	Codelist
3035	Party qualifier	M	an..3	'GA'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - REPRESENTATIVE	Codelist
3035	Party qualifier	M	an..3	'AH'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35	Holder ID TIR(an..17)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x					MESSAGE - GUARANTOR	Codelist
3035	Party qualifier	M	an..3	'SX'		
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35	TIN(an..17)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C058	NAME AND ADDRESS	C				
3124	Name and address line	M	an..35	Contact details in country of competent authority(an..140)		
3124	Name and address line	C	an..35	-- Continued 70 --'		
3124	Name and address line	C	an..35	-- Continued 70 --'		
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
C080	PARTY NAME	C				
3036	Party name	M	an..35	Name(an..35)		
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3045	Party name format, coded	C	an..3			
C059	STREET	C				
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)		
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3164	City name	C	an..35	City(an..35)		
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12	
3251	Postcode identification	C	an..9	Postal code(an..9)		
3207	Country, coded	C	an..3	Country code(a2)	70	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (AUTHORISED CONSIGNEE) TRADER	Codelist
3035	Party qualifier	M	an..3	'TD'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[22],NAME AND ADDRESS,C,10x				MESSAGE - (ACTUAL CONSIGNEE) TRADER	Codelist
3035	Party qualifier	M	an..3	'CM'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[26],TERMS OF DELIVERY OR TRANSPORT,C,1x				MESSAGE - UNLOADING REMARK	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'5'	
4215	Transport charges method of payment, coded	C	an..3	Conform(n1)	
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3	Unloading completion(n1)	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70	Unloading date(n8)	
4052	Terms of delivery or transport	C	an..70		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[26],TERMS OF DELIVERY OR TRANSPORT,C,1x				MESSAGE - RECOVERY	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'1'	
4215	Transport charges method of payment, coded	C	an..3		
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70	Collection Date(n8)	
4052	Terms of delivery or transport	C	an..70		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[26],TERMS OF DELIVERY OR TRANSPORT,C,1x				MESSAGE - RECOVERY	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'1'	
4215	Transport charges method of payment, coded	C	an..3		
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3	<i>Recovery Acceptance(n1)</i>	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70		
4052	Terms of delivery or transport	C	an..70		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[26],TERMS OF DELIVERY OR TRANSPORT,C,1x				MESSAGE - RECOVERY	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'1'	
4215	Transport charges method of payment, coded	C	an..3		
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70		
4052	Terms of delivery or transport	C	an..70	Recovery communication date(n8)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[28],FREE TEXT,C,1x				MESSAGE - UNLOADING REMARK	Codelist
4451	Text subject qualifier	M	an..3	'CLR'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	State of seals ok(n1)	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Unloading remark(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	Unloading remark LNG(a2)	12

4. EDIFACT

MOA[29],MONETARY AMOUNT,C,25x**MESSAGE - HEADER****Codelist**

C516	MONETARY AMOUNT	M		
5025	Monetary amount type qualifier	M	an..3	'39'
5004	Monetary amount	C	n..18	
6345	Currency, coded	C	an..3	
6343	Currency qualifier	C	an..3	
4405	Status, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x

1004	Document/message number	C	an..35
1001	Document/message name, coded	C	an..3
7240	Total number of items	C	n..15

MESSAGE - RISK ANALYSIS

Codelist

'1'
<i>Item Number involved(n..5)</i>

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x

1004	Document/message number	C	an..35
1001	Document/message name, coded	C	an..3
7240	Total number of items	C	n..15

MESSAGE - RISK ANALYSIS

Codelist

'1'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x

1004	Document/message number	C	an..35
1001	Document/message name, coded	C	an..3
7240	Total number of items	C	n..15

MESSAGE - RISK ANALYSIS

Codelist

'1'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x

1004	Document/message number	C	an..35
1001	Document/message name, coded	C	an..3
7240	Total number of items	C	n..15

MESSAGE - RISK ANALYSIS

Codelist

'1'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x

1004	Document/message number	C	an..35
1001	Document/message name, coded	C	an..3
7240	Total number of items	C	n..15

MESSAGE - GUARANTEE INFORMATION

Codelist

Guarantee reference number (GRN)(an..24)
'429'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[39],TERMS OF DELIVERY OR TRANSPORT,C,1x				MESSAGE - RISK ANALYSIS	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'1'	
4215	Transport charges method of payment, coded	C	an..3		
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70	<i>Risk Analysis result code(an..5)</i>	
4052	Terms of delivery or transport	C	an..70	<i>'-- Continued 70 --'</i>	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[39],TERMS OF DELIVERY OR TRANSPORT,C,1x

4055	Terms of delivery or transport function, coded	D	an..3
4215	Transport charges method of payment, coded	C	an..3
C100	TERMS OF DELIVERY OR TRANSPORT	C	
4053	Terms of delivery or transport, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4052	Terms of delivery or transport	C	an..70
4052	Terms of delivery or transport	C	an..70

MESSAGE - RISK ANALYSIS

Codelist

'1'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[41],FREE TEXT,C,1x				MESSAGE - RISK ANALYSIS	Codelist
4451	Text subject qualifier	M	an..3	'RAH'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Risk Analysis text(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Risk Analysis LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[42],NAME AND ADDRESS,C,10x					MESSAGE - GUARANTEE INFORMATION - GUARANTOR	Codelist
3035	Party qualifier	M	an..3	'SX'		
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35	TIN(an..17)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C058	NAME AND ADDRESS	C				
3124	Name and address line	M	an..35	Contact details in country of competent authority(an..140)		
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
C080	PARTY NAME	C				
3036	Party name	M	an..35	Name(an..35)		
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3045	Party name format, coded	C	an..3			
C059	STREET	C				
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)		
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3164	City name	C	an..35	City(an..35)		
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12	
3251	Postcode identification	C	an..9	Postal code(an..9)		
3207	Country, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CST[92],CUSTOMS STATUS OF GOODS,C,999x				MESSAGE - GOODS ITEM	Codelist
1496	Goods item number	C	n..5	<i>Item number(n..5)</i>	
C246	CUSTOMS IDENTITY CODES	C			
7361	Customs code identification	M	an..18	<i>Commodity code(an..22)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C246	CUSTOMS IDENTITY CODES	C			
7361	Customs code identification	M	an..18	<i>Sensitive goods code(n..2)</i>	64
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C246	CUSTOMS IDENTITY CODES	C			
7361	Customs code identification	M	an..18		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C246	CUSTOMS IDENTITY CODES	C			
7361	Customs code identification	M	an..18		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C246	CUSTOMS IDENTITY CODES	C			
7361	Customs code identification	M	an..18	<i>Type of declaration(an..9)</i>	31
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[93],FREE TEXT,C,999x				MESSAGE - GOODS ITEM	Codelist
4451	Text subject qualifier	M	an..3	'AAA'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Goods description(an..280)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Goods description LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[93],FREE TEXT,C,999x				MESSAGE - GOODS ITEM - RESULTS OF CONTROL	Codelist
4451	Text subject qualifier	M	an..3	'ABV'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Control indicator(an2)</i>	41
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Pointer to the attribute(an..35)</i>	
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70	<i>' - Continued 70 - '</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Description LNG(a2)</i>	12

4. EDIFACT

FTX[93],FREE TEXT,C,999x				MESSAGE - GOODS ITEM	Codelist
4451	Text subject qualifier	M	an..3	'IND'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Commercial Reference Number(an..70)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x				MESSAGE - GOODS ITEM	Codelist
3227	Place/location qualifier	M	an..3	'35'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Country of dispatch/export code(a2)</i>	8
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x				MESSAGE - GOODS ITEM	Codelist
3227	Place/location qualifier	M	an..3	'36'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Country of destination code(a2)</i>	8
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x				MESSAGE - GOODS ITEM	Codelist
3227	Place/location qualifier	M	an..3	'27'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x				MESSAGE - GOODS ITEM	Codelist
3227	Place/location qualifier	M	an..3	'30'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MEA[96],MEASUREMENTS,C,20x				MESSAGE - GOODS ITEM	Codelist
6311	Measurement application qualifier	M	an..3	'WT'	
C502	MEASUREMENT DETAILS	C			
6313	Measurement dimension, coded	C	an..3	'AAB'	
6321	Measurement significance, coded	C	an..3		
6155	Measurement attribute identification	C	an..17		
6154	Measurement attribute	C	an..70		
C174	VALUE/RANGE	C			
6411	Measure unit qualifier	M	an..3	'KGM'	
6314	Measurement value	C	an..18	Gross mass(n..11,3)	
6162	Range minimum	C	n..18		
6152	Range maximum	C	n..18		
6432	Significant digits	C	n..2		
7383	Surface/layer indicator, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MEA[96],MEASUREMENTS,C,20x				MESSAGE - GOODS ITEM	Codelist
6311	Measurement application qualifier	M	an..3	'WT'	
C502	MEASUREMENT DETAILS	C			
6313	Measurement dimension, coded	C	an..3	'AAA'	
6321	Measurement significance, coded	C	an..3		
6155	Measurement attribute identification	C	an..17		
6154	Measurement attribute	C	an..70		
C174	VALUE/RANGE	C			
6411	Measure unit qualifier	M	an..3	'KGM'	
6314	Measurement value	C	an..18	Net mass(n..11,3)	
6162	Range minimum	C	n..18		
6152	Range maximum	C	n..18		
6432	Significant digits	C	n..2		
7383	Surface/layer indicator, coded	C	an..3		

4. EDIFACT

MEA[96],MEASUREMENTS,C,20x				MESSAGE - GOODS ITEM	Codelist
6311	Measurement application qualifier	M	an..3	'ABP'	
C502	MEASUREMENT DETAILS	C			
6313	Measurement dimension, coded	C	an..3		
6321	Measurement significance, coded	C	an..3		
6155	Measurement attribute identification	C	an..17		
6154	Measurement attribute	C	an..70		
C174	VALUE/RANGE	C			
6411	Measure unit qualifier	M	an..3	'UNT'	
6314	Measurement value	C	an..18		
6162	Range minimum	C	n..18		
6152	Range maximum	C	n..18		
6432	Significant digits	C	n..2		
7383	Surface/layer indicator, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[97],NAME AND ADDRESS,C,5x				MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER	Codelist
3035	Party qualifier	M	an..3	'CN'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[97],NAME AND ADDRESS,C,5x				MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER	Codelist
3035	Party qualifier	M	an..3	'CZ'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[97],NAME AND ADDRESS,C,5x				MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER	Codelist
3035	Party qualifier	M	an..3	'GM'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[97],NAME AND ADDRESS,C,5x				MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER	Codelist
3035	Party qualifier	M	an..3	'DP'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TDT[98],DETAILS OF TRANSPORT,C,9x				MESSAGE - GOODS ITEM	Codelist
8051	Transport stage qualifier	M	an..3	2'	
8028	Conveyance reference number	C	an..17		
C220	MODE OF TRANSPORT	C			
8067	Mode of transport, coded	C	an..3		
8066	Mode of transport	C	an..17		
C228	TRANSPORT MEANS	C			
8179	Type of means of transport identification	C	an..8		
8178	Type of means of transport	C	an..17		
C040	CARRIER	C			
3127	Carrier identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3128	Carrier name	C	an..35		
8101	Transit direction, coded	C	an..3		
C401	EXCESS TRANSPORTATION INFORMATION	C			
8457	Excess transportation reason, coded	M	an..3		
8459	Excess transportation responsibility, coded	M	an..3		
7130	Customer authorization number	C	an..17		
C222	TRANSPORT IDENTIFICATION	C			
8213	Id. of means of transport identification	C	an..9		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35		
8453	Nationality of means of transport, coded	C	an..3		
8281	Transport ownership, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TDT[98],DETAILS OF TRANSPORT,C,9x				MESSAGE - GOODS ITEM	Codelist
8051	Transport stage qualifier	M	an..3	'10'	
8028	Conveyance reference number	C	an..17		
C220	MODE OF TRANSPORT	C			
8067	Mode of transport, coded	C	an..3		
8066	Mode of transport	C	an..17		
C228	TRANSPORT MEANS	C			
8179	Type of means of transport identification	C	an..8	<i>Transport charges/ Method of Payment(a1)</i>	116
8178	Type of means of transport	C	an..17		
C040	CARRIER	C			
3127	Carrier identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3128	Carrier name	C	an..35		
8101	Transit direction, coded	C	an..3		
C401	EXCESS TRANSPORTATION INFORMATION	C			
8457	Excess transportation reason, coded	M	an..3		
8459	Excess transportation responsibility, coded	M	an..3		
7130	Customer authorization number	C	an..17		
C222	TRANSPORT IDENTIFICATION	C			
8213	Id. of means of transport identification	C	an..9	<i>UN dangerous goods code(an4)</i>	101
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35		
8453	Nationality of means of transport, coded	C	an..3		
8281	Transport ownership, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TDT[98],DETAILS OF TRANSPORT,C,9x				MESSAGE - GOODS ITEM	Codelist
8051	Transport stage qualifier	M	an..3	'14'	
8028	Conveyance reference number	C	an..17		
C220	MODE OF TRANSPORT	C			
8067	Mode of transport, coded	C	an..3		
8066	Mode of transport	C	an..17		
C228	TRANSPORT MEANS	C			
8179	Type of means of transport identification	C	an..8		
8178	Type of means of transport	C	an..17		
C040	CARRIER	C			
3127	Carrier identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3128	Carrier name	C	an..35		
8101	Transit direction, coded	C	an..3		
C401	EXCESS TRANSPORTATION INFORMATION	C			
8457	Excess transportation reason, coded	M	an..3		
8459	Excess transportation responsibility, coded	M	an..3		
7130	Customer authorization number	C	an..17		
C222	TRANSPORT IDENTIFICATION	C			
8213	Id. of means of transport identification	C	an..9		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
8212	Id. of the means of transport	C	an..35		
8453	Nationality of means of transport, coded	C	an..3		
8281	Transport ownership, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PAC[99],PACKAGE,C,99x				MESSAGE - GOODS ITEM - PACKAGES	Codelist
7224	Number of packages	C	n..8	'6'	
C531	PACKAGING DETAILS	C			
7075	Packaging level, coded	C	an..3		
7233	Packaging related information, coded	C	an..3		
7073	Packaging terms and conditions, coded	C	an..3		
C202	PACKAGE TYPE	C			
7065	Type of packages identification	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7064	Type of packages	C	an..35		
C402	PACKAGE TYPE IDENTIFICATION	C			
7077	Item description type, coded	C	an..4	<i>Kind of packages(an..3)</i>	17
7064	Type of packages	C	an..35	<i>Number of packages(n..5)</i>	
7143	Item number type, coded	C	an..3		
7064	Type of packages	C	an..35	<i>Number of pieces(n..5)</i>	
7143	Item number type, coded	C	an..3		
C532	RETURNABLE PACKAGE DETAILS	C			
8395	Returnable package freight payment responsibility, coded	C	an..3		
8393	Returnable package load contents, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PCI[100],PACKAGE IDENTIFICATION,M,1x				MESSAGE - GOODS ITEM - PACKAGES	Codelist
4233	Marking instructions, coded	C	an..3	'28'	
C210	MARKS & LABELS	C			
7102	Shipping marks	C	an..35	<i>Marks & numbers of packages(an..42)</i>	
7102	Shipping marks	C	an..35	<i>'-- Continued 07 --'</i>	
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
7102	Shipping marks	C	an..35		
8275	Container/package status, coded	C	an..3	<i>Marks & numbers of packages LNG(a2)</i>	12
C827	TYPE OF MARKING	C			
7511	Type of marking, coded	M	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[101],FREE TEXT,C,1x				MESSAGE - GOODS ITEM - PACKAGES	Codelist
4451	Text subject qualifier	M	an..3	'PKG'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Complete control(n1)	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Controlled packages(an..70)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Controlled packages LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[105],REFERENCE,C,999x		MESSAGE - GOODS ITEM - CONTAINERS			Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'AAQ'	
1154	Reference number	C	an..35	Container number(an..17)	
1156	Line number	C	an..6	Complete control(n1)	27
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DOC[111],DOCUMENT/MESSAGE DETAILS,C,999x				MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES	Codelist
C002	DOCUMENT/MESSAGE NAME	M			
1001	Document/message name, coded	C	an..3	'190'	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35	<i>Previous document type(an..6)</i>	14
C503	DOCUMENT/MESSAGE DETAILS	C			
1004	Document/message number	C	an..35	<i>Previous document reference(an..35)</i>	
1373	Document/message status, coded	C	an..3	<i>Complement of information LNG(a2)</i>	12
1366	Document/message source	C	an..35	<i>Complement of information(an..26)</i>	
3453	Language, coded	C	an..3	<i>Previous document reference LNG(a2)</i>	12
3153	Communication channel identifier, coded	C	an..3	<i>Complete control(n1)</i>	27
1220	Number of copies of document required	C	n..2		
1218	Number of originals of document required	C	n..2		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DOC[111],DOCUMENT/MESSAGE DETAILS,C,999x				MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES	Codelist
C002	DOCUMENT/MESSAGE NAME	M			
1001	Document/message name, coded	C	an..3	'916'	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35	<i>Document type(an..4)</i>	13
C503	DOCUMENT/MESSAGE DETAILS	C			
1004	Document/message number	C	an..35	<i>Document reference(an..35)</i>	
1373	Document/message status, coded	C	an..3	<i>Complement of information LNG(a2)</i>	12
1366	Document/message source	C	an..35	<i>Complement of information(an..26)</i>	
3453	Language, coded	C	an..3	<i>Document reference LNG(a2)</i>	12
3153	Communication channel identifier, coded	C	an..3	<i>Complete control(n1)</i>	27
1220	Number of copies of document required	C	n..2		
1218	Number of originals of document required	C	n..2		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[115],TERMS OF DELIVERY OR TRANSPORT,C,99x				MESSAGE - GOODS ITEM - SPECIAL MENTIONS	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'2'	
4215	Transport charges method of payment, coded	C	an..3	Complete control(n1)	27
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3		
1131	Code list qualifier	C	an..3	Export from country(a2)	63
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70		
4052	Terms of delivery or transport	C	an..70		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[115],TERMS OF DELIVERY OR TRANSPORT,C,99x				MESSAGE - GOODS ITEM - SPECIAL MENTIONS	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'2'	
4215	Transport charges method of payment, coded	C	an..3		
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3	<i>Export from EC(n1)</i>	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70		
4052	Terms of delivery or transport	C	an..70		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[117],FREE TEXT,C,1x				MESSAGE - GOODS ITEM - SPECIAL MENTIONS	Codelist
4451	Text subject qualifier	M	an..3	'ACB'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Additional information coded(an..5)</i>	39
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Additional information(an..70)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Additional information LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[117],FREE TEXT,C,1x				MESSAGE - GOODS ITEM - SPECIAL MENTIONS	Codelist
4451	Text subject qualifier	M	an..3	'ACB'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIR[131],RELATED IDENTIFICATION NUMBERS,C,50x				MESSAGE - GOODS ITEM - SGI CODES	Codelist	
7297	Set identification qualifier	M	an..3	'3'		
C206	IDENTIFICATION NUMBER	C				
7402	Identity number	M	an..35	<i>Sensitive quantity(n..11,3)</i>		
7405	Identity number qualifier	C	an..3			
4405	Status, coded	C	an..3			
C206	IDENTIFICATION NUMBER	C				
7402	Identity number	M	an..35	<i>Sensitive goods code(n..2)</i>	64	
7405	Identity number qualifier	C	an..3			
4405	Status, coded	C	an..3			
C206	IDENTIFICATION NUMBER	C				
7402	Identity number	M	an..35	<i>Complete control(n1)</i>	27	
7405	Identity number qualifier	C	an..3			
4405	Status, coded	C	an..3			
C206	IDENTIFICATION NUMBER	C				
7402	Identity number	M	an..35			
7405	Identity number qualifier	C	an..3			
4405	Status, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIR[131],RELATED IDENTIFICATION NUMBERS,C,50x				MESSAGE - GOODS ITEM	Codelist
7297	Set identification qualifier	M	an..3	'3'	
C206	IDENTIFICATION NUMBER	C			
7402	Identity number	M	an..35		
7405	Identity number qualifier	C	an..3		
4405	Status, coded	C	an..3		
C206	IDENTIFICATION NUMBER	C			
7402	Identity number	M	an..35		
7405	Identity number qualifier	C	an..3		
4405	Status, coded	C	an..3		
C206	IDENTIFICATION NUMBER	C			
7402	Identity number	M	an..35		
7405	Identity number qualifier	C	an..3		
4405	Status, coded	C	an..3		
C206	IDENTIFICATION NUMBER	C			
7402	Identity number	M	an..35		
7405	Identity number qualifier	C	an..3		
4405	Status, coded	C	an..3		
C206	IDENTIFICATION NUMBER	C			
7402	Identity number	M	an..35		
7405	Identity number qualifier	C	an..3		
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CNT[145],CONTROL TOTAL,C,5x				MESSAGE - HEADER	Codelist
C270	CONTROL	M			
6069	Control qualifier	M	an..3	'11'	
6066	Control value	M	n..18	Total number of packages(n..7)	
6411	Measure unit qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CNT[145],CONTROL TOTAL,C,5x				MESSAGE - HEADER	Codelist
C270	CONTROL	M			
6069	Control qualifier	M	an..3	'13'	
6066	Control value	M	n..18		
6411	Measure unit qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CNT[145],CONTROL TOTAL,C,5x				MESSAGE - SEALS INFO	Codelist
C270	CONTROL	M			
6069	Control qualifier	M	an..3	'16'	
6066	Control value	M	n..18	Seals number(n..4)	
6411	Measure unit qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CNT[145],CONTROL TOTAL,C,5x				MESSAGE - HEADER	Codelist
C270	CONTROL	M			
6069	Control qualifier	M	an..3	'5'	
6066	Control value	M	n..18	Total number of items(n..5)	
6411	Measure unit qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[151],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[152],INTERCHANGE TRAILER,M,1x				MESSAGE	Codelist
0036	Interchange control count	M	n..6	'-- Interchange control count'	
0020	Interchange control reference	M	an..14	Interchange control reference(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CUSRES

UNB[0],INTERCHANGE HEADER,M,1x

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'CUSRES'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2	Message sequence number(n..2)	
0073	First and last transfer	C	a1	First and last transfer(a1)	28

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

BGM[2],BEGINNING OF MESSAGE,M,1x				MESSAGE - HEADER	Codelist
C002	DOCUMENT/MESSAGE NAME	C			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35		
C106	DOCUMENT/MESSAGE IDENTIFICATION	C			
1004	Document/message number	C	an..35	<i>Document/reference number(an..21)</i>	
1056	Version	C	an..9		
1060	Revision number	C	an..6		
1225	Message function, coded	C	an..3	'11'	
4343	Response type, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'148'	
2380	Date/time/period	C	an..35	Acceptance date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'178'	
2380	Date/time/period	C	an..35	Arrival date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'184'	
2380	Date/time/period	C	an..35	<i>Date of control notification(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'193'	
2380	Date/time/period	C	an..35	<i>Date of cancellation decision(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'261'	
2380	Date/time/period	C	an..35	Goods release date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'318'	
2380	Date/time/period	C	an..35	<i>Date of cancellation request(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'46'	
2380	Date/time/period	C	an..35	<i>Date of cancellation(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'270'	
2380	Date/time/period	C	an..35	Recovery communication date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'55'	
2380	Date/time/period	C	an..35	<i>Date of enquiry response(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'184'	
2380	Date/time/period	C	an..35	Recovery notification date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - ENQUIRY	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'162'	
2380	Date/time/period	C	an..35	<i>Return Copy returned on(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABY'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Cancellation justification(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Cancellation justification LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Release request rejection reason(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Release request rejection reason LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - UPL RESPONSE	Codelist
4451	Text subject qualifier	M	an..3	'AAQ'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Original message identification(an..14)</i>	
4440	Free text	C	an..70	<i>Status(a..8)</i>	
4440	Free text	C	an..70	<i>Description(an..210)</i>	
4440	Free text	C	an..70	<i>'-- continued 70 --'</i>	
4440	Free text	C	an..70	<i>'-- continued 70 --'</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'RAH'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Recovery notification text(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	Recovery notification text LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABT'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Amount claimed(n..15,2)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - ENQUIRY	Codelist
4451	Text subject qualifier	M	an..3	'ADG'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Response Information(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Response Information LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x					MESSAGE - ENQUIRY	Codelist
4451	Text subject qualifier	M	an..3	'RET'		
4453	Text function, coded	C	an..3	Information (on paper) available(n1)	27	
C107	TEXT REFERENCE	C				
4441	Free text identification	M	an..17	Delivery date TC11(n8)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C108	TEXT LITERAL	C				
4440	Free text	C	an..70	Information text(an..140)		
4440	Free text	C	an..70			
4440	Free text	C	an..70			
4440	Free text	C	an..70			
4440	Free text	C	an..70			
3453	Language, coded	C	an..3	Information text LNG(a2)	12	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'REV'	
4453	Text function, coded	C	an..3	Information (on paper) available(n1)	27
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Information text(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Information text LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - RECOVERY	Codelist
4451	Text subject qualifier	M	an..3	'ABV'	
4453	Text function, coded	C	an..3	<i>Recovery Acceptance(n1)</i>	27
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Recovery communication date(n8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Collection Date(n8)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - ENQUIRY	Codelist
4451	Text subject qualifier	M	an..3	'RET'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3	TC11 delivered by Customs(n1)	27
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x					MESSAGE - INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'RQR'		
4453	Text function, coded	C	an..3			
C107	TEXT REFERENCE	C				
4441	Free text identification	M	an..17			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C108	TEXT LITERAL	C				
4440	Free text	C	an..70	Contact Person at Destination(an..140)		
4440	Free text	C	an..70	'-- Continued 70 --'		
4440	Free text	C	an..70			
4440	Free text	C	an..70			
4440	Free text	C	an..70			
3453	Language, coded	C	an..3	Contact Person at Destination LNG(a2)	12	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'IND'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Contact person Details(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Contact person Details LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

**MESSAGE - (DESTINATION DECLARED) CUSTOMS Codelist
OFFICE**

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'122'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE

Codelist

'22'
Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE

Codelist

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'120'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'22'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

4. EDIFACT

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (REQUESTED) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'96'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (EXPORT) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'118'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (EXIT DECLARED) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'115'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (TRANSIT DECLARED) CUSTOMS OFFICE

Codelist

Segment	Field	Qualifier	Length	Value
3227	Place/location qualifier	M	an..3	'52'
C517	LOCATION IDENTIFICATION	C		
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
3224	Place/location	C	an..70	
C519	RELATED LOCATION ONE IDENTIFICATION	C		
3223	Related place/location one identification	C	an..25	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
3222	Related place/location one	C	an..70	
C553	RELATED LOCATION TWO IDENTIFICATION	C		
3233	Related place/location two identification	C	an..25	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
3232	Related place/location two	C	an..70	
5479	Relation, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (COMPETENT AUTHORITY OF REQUESTED COUNTRY) CUSTOMS OFFICE

Codelist

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'76'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - (COMPETENT AUTHORITY OF REQUESTING COUNTRY) CUSTOMS OFFICE

Codelist

3227	Place/location qualifier	M	an..3
C517	LOCATION IDENTIFICATION	C	
3225	Place/location identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3224	Place/location	C	an..70
C519	RELATED LOCATION ONE IDENTIFICATION	C	
3223	Related place/location one identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3222	Related place/location one	C	an..70
C553	RELATED LOCATION TWO IDENTIFICATION	C	
3233	Related place/location two identification	C	an..25
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3232	Related place/location two	C	an..70
5479	Relation, coded	C	an..3

'77'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (DEPARTURE) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'118'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (GUARANTEE) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'119'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (EXPORT) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'116'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[7],GENERAL INDICATOR,C,10x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Cancellation initiated by customs(n1)</i>	27
1131	Code list qualifier	C	an..3	'117'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[7],GENERAL INDICATOR,C,10x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	Status(an3)	58
1131	Code list qualifier	C	an..3	'120'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[7],GENERAL INDICATOR,C,10x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Release requested(n1)</i>	27
1131	Code list qualifier	C	an..3	'148'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[7],GENERAL INDICATOR,C,10x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Cancellation decision(n1)</i>	27
1131	Code list qualifier	C	an..3	'70'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[7],GENERAL INDICATOR,C,10x				MESSAGE - HEADER	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	Currency(an3)	48
1131	Code list qualifier	C	an..3	'104'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIS[7],GENERAL INDICATOR,C,10x				MESSAGE - ENQUIRY	Codelist
C529	PROCESSING INDICATOR	M			
7365	Processing indicator, coded	M	an..3	<i>Response Code(n..2)</i>	29
1131	Code list qualifier	C	an..3	'67'	
3055	Code list responsible agency, coded	C	an..3		
7187	Process type identification	C	an..17		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,9x				MESSAGE - (DESTINATION) TRADER	Codelist
3035	Party qualifier	M	an..3	'CPD'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,9x					MESSAGE - GUARANTOR	Codelist
3035	Party qualifier	M	an..3	'SX'		
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35	TIN(an..17)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C058	NAME AND ADDRESS	C				
3124	Name and address line	M	an..35	Contact details in country of competent authority(an..140)		
3124	Name and address line	C	an..35	'-- Continued 70 --'		
3124	Name and address line	C	an..35	'-- Continued 70 --'		
3124	Name and address line	C	an..35	'-- Continued 70 --'		
3124	Name and address line	C	an..35	'-- Continued 70 --'		
C080	PARTY NAME	C				
3036	Party name	M	an..35	Name(an..35)		
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3045	Party name format, coded	C	an..3			
C059	STREET	C				
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)		
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3164	City name	C	an..35	City(an..35)		
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12	
3251	Postcode identification	C	an..9	Postal code(an..9)		
3207	Country, coded	C	an..3	Country code(a2)	70	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,9x				MESSAGE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35	Holder ID TIR(an..17)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,9x				MESSAGE - (ACTUAL CONSIGNEE) TRADER	Codelist
3035	Party qualifier	M	an..3	'CM'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,999x				MESSAGE - HEADER	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABE'	
1154	Reference number	C	an..35	Reference number(an..22)	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

4. EDIFACT

RFF[12],REFERENCE,C,999x

MESSAGE - GUARANTEE REFERENCE

Codelist

C506	REFERENCE				
1153	Reference qualifier	M	an..3	'ABK'	
1154	Reference number	C	an..35	Guarantee reference number (GRN)(an..24)	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DOC[22],DOCUMENT/MESSAGE DETAILS,C,9999x				MESSAGE - GUARANTEE	Codelist
C002	DOCUMENT/MESSAGE NAME	M			
1001	Document/message name, coded	C	an..3	'430'	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35		
C503	DOCUMENT/MESSAGE DETAILS	C			
1004	Document/message number	C	an..35	Guarantee type(an1)	51
1373	Document/message status, coded	C	an..3		
1366	Document/message source	C	an..35		
3453	Language, coded	C	an..3		
3153	Communication channel identifier, coded	C	an..3		
1220	Number of copies of document required	C	n..2		
1218	Number of originals of document required	C	n..2		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DOC[22],DOCUMENT/MESSAGE DETAILS,C,9999x				MESSAGE - GUARANTEE INFORMATION	Codelist
C002	DOCUMENT/MESSAGE NAME	M			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3	'125'	
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35	Guarantee reference number (GRN)(an..24)	
C503	DOCUMENT/MESSAGE DETAILS	C			
1004	Document/message number	C	an..35		
1373	Document/message status, coded	C	an..3		
1366	Document/message source	C	an..35		
3453	Language, coded	C	an..3		
3153	Communication channel identifier, coded	C	an..3		
1220	Number of copies of document required	C	n..2		
1218	Number of originals of document required	C	n..2		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[33],NAME AND ADDRESS,C,9x					MESSAGE - GUARANTEE INFORMATION - GUARANTOR	Codelist
3035	Party qualifier	M	an..3	'SX'		
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35	TIN(an..17)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C058	NAME AND ADDRESS	C				
3124	Name and address line	M	an..35	Contact details in country of competent authority(an..140)		
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
C080	PARTY NAME	C				
3036	Party name	M	an..35	Name(an..35)		
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3045	Party name format, coded	C	an..3			
C059	STREET	C				
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)		
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3164	City name	C	an..35	City(an..35)		
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12	
3251	Postcode identification	C	an..9	Postal code(an..9)		
3207	Country, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

ERP[45],ERROR POINT DETAILS,C,9999x				MESSAGE - UPL ERROR	Codelist
C701	ERROR POINT DETAILS	C			
1049	Message section, coded	C	an..3		
1052	Message item number	C	an..35	<i>Action identification(an..20)</i>	
1054	Message sub-item number	C	n..6		
C853	ERROR SEGMENT POINT DETAILS	C			
9166	Segment tag	C	an..3		
1050	Sequence number	C	an..10		
1159	Sequence number source, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

ERP[45],ERROR POINT DETAILS,C,9999x

C701	ERROR POINT DETAILS	C	
1049	Message section, coded	C	an..3
1052	Message item number	C	an..35
1054	Message sub-item number	C	n..6
C853	ERROR SEGMENT POINT DETAILS	C	
9166	Segment tag	C	an..3
1050	Sequence number	C	an..10
1159	Sequence number source, coded	C	an..3

MESSAGE - GUARANTEE - GUARANTEE REFERENCE

Codelist

'8'
Guarantee reference number (GRN)(an..24)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

ERC[47],APPLICATION ERROR INFORMATION,C,99x

C901	APPLICATION ERROR DETAIL	M	
9321	Application error identification	M	an..8
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

MESSAGE - UPL ERROR

Codelist

Code(an..8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

ERC[47],APPLICATION ERROR INFORMATION,C,99x

C901	APPLICATION ERROR DETAIL	M	
9321	Application error identification	M	an..8
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3

**MESSAGE - GUARANTEE - GUARANTEE
REFERENCE - INVALID GUARANTEE REASON**

Codelist

Invalid guarantee reason code(an..3)
'125'
52

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[48],FREE TEXT,C,999x				MESSAGE - UPL ERROR	Codelist
4451	Text subject qualifier	M	an..3	'AAO'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..210)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	<i>Attribute path(an..140)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[48],FREE TEXT,C,999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION EC

'AAP'
Not valid for EC(n1)

Codelist

27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[48],FREE TEXT,C,999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

**MESSAGE - GUARANTEE - GUARANTEE
REFERENCE - VALIDITY LIMITATION NON EC**

'AAG'
Not valid for other contracting parties(a2)

Codelist

71

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[52],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[53],INTERCHANGE TRAILER,M,1x

0036 Interchange control count
0020 Interchange control reference

M n..6
M an..14

MESSAGE

'-- Interchange control count'
Interchange control reference(an..14)

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FINSTA

UNB[0],INTERCHANGE HEADER,M,1x

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

4. EDIFACT

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'FINSTA'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2	Message sequence number(n..2)	
0073	First and last transfer	C	a1	First and last transfer(a1)	28

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

BGM[2],BEGINNING OF MESSAGE,M,1x				MESSAGE	Codelist
C002	DOCUMENT/MESSAGE NAME	C			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35		
C106	DOCUMENT/MESSAGE IDENTIFICATION	C			
1004	Document/message number	C	an..35		
1056	Version	C	an..9		
1060	Revision number	C	an..6		
1225	Message function, coded	C	an..3	'14'	
4343	Response type, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FII[6],FINANCIAL INSTITUTION INFORMATION,C,5x

3035	Party qualifier	M	an..3
C078	ACCOUNT IDENTIFICATION	C	
3194	Account holder number	C	an..35
3192	Account holder name	C	an..35
3192	Account holder name	C	an..35
6345	Currency, coded	C	an..3
C088	INSTITUTION IDENTIFICATION	C	
3433	Institution name identification	C	an..11
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3434	Institution branch number	C	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
3432	Institution name	C	an..350
3436	Institution branch place	C	an..70
3207	Country, coded	C	an..3

MESSAGE - (GUARANTEE) CUSTOMS OFFICE

Codelist

'GU'

Reference number(an8)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,3x					MESSAGE - GUARANTEE REFERENCE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AL'		
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35	TIN(an..17)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C058	NAME AND ADDRESS	C				
3124	Name and address line	M	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
C080	PARTY NAME	C				
3036	Party name	M	an..35	Name(an..35)		
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3036	Party name	C	an..35			
3045	Party name format, coded	C	an..3			
C059	STREET	C				
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)		
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3164	City name	C	an..35	City(an..35)		
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12	
3251	Postcode identification	C	an..9	Postal code(an..9)		
3207	Country, coded	C	an..3	Country code(a2)	8	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,3x				MESSAGE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,3x				MESSAGE - GUARANTOR	Codelist
3035	Party qualifier	M	an..3	'SX'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	70

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,3x				MESSAGE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35	Holder ID TIR(an..17)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[12],LINE ITEM,M,9999x				MESSAGE - GUARANTEE REFERENCE	Codelist
1082	Line item number	C	n..6		
1229	Action request/notification, coded	C	an..3		
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35	<i>Guarantee reference number (GRN)(an..24)</i>	
7143	Item number type, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3	<i>Limited validity (sensitive goods)(n1)</i>	27
1082	Line item number	C	n..6	<i>Restricted use (suspended goods)(n1)</i>	27
1222	Configuration level	C	n..2		
7083	Configuration, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FI[13],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE - VALIDITY Codelist
LIMITATION EC**

Segment	Field	Card	Decimals	Limitation	Codelist
3035	Party qualifier	M	an..3	'AN'	
C078	ACCOUNT IDENTIFICATION	C			
3194	Account holder number	C	an..35		
3192	Account holder name	C	an..35		
3192	Account holder name	C	an..35		
6345	Currency, coded	C	an..3	<i>Not valid for EC(n1)</i>	27
C088	INSTITUTION IDENTIFICATION	C			
3433	Institution name identification	C	an..11		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3434	Institution branch number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3432	Institution name	C	an..350		
3436	Institution branch place	C	an..70		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FI[13],FINANCIAL INSTITUTION INFORMATION,C,999x

**MESSAGE - GUARANTEE REFERENCE - VALIDITY Codelist
LIMITATION NON EC**

Segment	Field	Card	Length	Code List	Limitation
3035	Party qualifier	M	an..3	'U'	
C078	ACCOUNT IDENTIFICATION	C			
3194	Account holder number	C	an..35		
3192	Account holder name	C	an..35		
3192	Account holder name	C	an..35		
6345	Currency, coded	C	an..3		
C088	INSTITUTION IDENTIFICATION	C			
3433	Institution name identification	C	an..11		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3434	Institution branch number	C	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3432	Institution name	C	an..350		
3436	Institution branch place	C	an..70		
3207	Country, coded	C	an..3		<i>Not valid for other contracting parties(a2)</i>

71

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[14],REFERENCE,C,1x				MESSAGE - GUARANTEE REFERENCE	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'AIR'	
1154	Reference number	C	an..35	<i>Number of certificates(n..8)</i>	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

4. EDIFACT

MOA[16],MONETARY AMOUNT,C,99x

C516	MONETARY AMOUNT	M		
5025	Monetary amount type qualifier	M	an..3	'6'
5004	Monetary amount	C	n..18	Reference amount(n..15,2)
6345	Currency, coded	C	an..3	
6343	Currency qualifier	C	an..3	Percentage of reference amount(n..3)
4405	Status, coded	C	an..3	

MESSAGE - GUARANTEE REFERENCE

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MOA[16],MONETARY AMOUNT,C,99x				MESSAGE - GUARANTEE REFERENCE	Codelist
C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'166'	
5004	Monetary amount	C	n..18	Guarantee amount(n..15,2)	
6345	Currency, coded	C	an..3	Currency(an3)	48
6343	Currency qualifier	C	an..3		
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SEQ[18],SEQUENCE DETAILS,C,9999x				MESSAGE - GUARANTEE REFERENCE	Codelist
1245	Status indicator, coded	C	an..3	'1'	
C286	SEQUENCE INFORMATION	C			
1050	Sequence number	M	an..10		
1159	Sequence number source, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[20],DATE/TIME/PERIOD,C,2x			MESSAGE - GUARANTEE REFERENCE		Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'157'	
2380	Date/time/period	C	an..35	Validity date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[20],DATE/TIME/PERIOD,C,2x			MESSAGE - GUARANTEE REFERENCE		Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'192'	
2380	Date/time/period	C	an..35	Invalidity date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[20],DATE/TIME/PERIOD,C,2x			MESSAGE - GUARANTEE REFERENCE	Codelist
C507	DATE/TIME/PERIOD	M		
2005	Date/time/period qualifier	M	an..3	'261'
2380	Date/time/period	C	an..35	<i>Liability liberation date(n8)</i>
2379	Date/time/period format qualifier	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[23],FREE TEXT,C,1x				MESSAGE - GUARANTEE REFERENCE	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3	Invalidity reason code(an3)	
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Invalidity reason(an..350)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Invalidity reason LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[27],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message--'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[28],INTERCHANGE TRAILER,M,1x

0036	Interchange control count	M	n..6	'-- Interchange control count--'	
0020	Interchange control reference	M	an..14	Interchange control reference(an..14)	

MESSAGE

Codelist

4. EDIFACT

FUNACK

UNB[0],INTERCHANGE HEADER,M,1x

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'CUSRES'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2	Message sequence number(n..2)	
0073	First and last transfer	C	a1	First and last transfer(a1)	28

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

BGM[2],BEGINNING OF MESSAGE,M,1x				MESSAGE - HEADER	Codelist
C002	DOCUMENT/MESSAGE NAME	C			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35	<i>Type of declaration(an..9)</i>	31
C106	DOCUMENT/MESSAGE IDENTIFICATION	C			
1004	Document/message number	C	an..35	<i>Document/reference number(an..21)</i>	
1056	Version	C	an..9		
1060	Revision number	C	an..6		
1225	Message function, coded	C	an..3	'11'	
4343	Response type, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'357'	
2380	Date/time/period	C	an..35	Unloading remarks rejection date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'46'	
2380	Date/time/period	C	an..35	Arrival rejection date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'46'	
2380	Date/time/period	C	an..35	Declaration rejection date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'46'	
2380	Date/time/period	C	an..35	Amendment rejection date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'318'	
2380	Date/time/period	C	an..35	<i>Date of amendment(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'261'	
2380	Date/time/period	C	an..35	<i>Date of release request(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'204'	
2380	Date/time/period	C	an..35	<i>Date of release request rejection(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - FUNCTIONAL ERROR	Codelist
4451	Text subject qualifier	M	an..3	'AAO'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Error type(n2)</i>	49
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Error pointer(an..210)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	<i>Error reason(an..6)</i>	
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - FUNCTIONAL ERROR	Codelist
4451	Text subject qualifier	M	an..3	'AAP'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Original attribute value(an..140)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ABD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Action to be taken(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	Action to be taken LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Declaration rejection reason(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Declaration rejection reason LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Unloading remarks rejection reason(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Unloading remarks rejection reason LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Amendment rejection motivation code(n1)</i>	45
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Amendment rejection motivation text(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Amendment rejection motivation text LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ACD'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Release requested(n1)</i>	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Release request rejection reason(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Release request rejection reason LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[4],FREE TEXT,C,9999x				MESSAGE - HEADER	Codelist
4451	Text subject qualifier	M	an..3	'ARR'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Arrival rejection reason(an..350)</i>	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	<i>Arrival rejection reason LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (DEPARTURE) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'118'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[9],NAME AND ADDRESS,C,9x				MESSAGE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35	Holder ID TIR(an..17)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,999x				MESSAGE - HEADER	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABE'	
1154	Reference number	C	an..35	Reference number(an..22)	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[12],REFERENCE,C,999x				MESSAGE	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'AGO'	
1154	Reference number	C	an..35	<i>Original message identification(an..14)</i>	
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[52],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[53],INTERCHANGE TRAILER,M,1x

0036 Interchange control count
0020 Interchange control reference

M n..6
M an..14

MESSAGE

'-- *Interchange control count*
Interchange control reference(an..14)

Codelist

4. EDIFACT

GENERAL

UNB[0],INTERCHANGE HEADER,M,1x

GENERAL				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'GENRAL'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2	Message sequence number(n..2)	
0073	First and last transfer	C	a1	First and last transfer(a1)	28

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

BGM[2],BEGINNING OF MESSAGE,M,1x				MESSAGE	Codelist
C002	DOCUMENT/MESSAGE NAME	C			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35		
C106	DOCUMENT/MESSAGE IDENTIFICATION	C			
1004	Document/message number	C	an..35		
1056	Version	C	an..9		
1060	Revision number	C	an..6		
1225	Message function, coded	C	an..3	'51'	
4343	Response type, coded	C	an..3		

4. EDIFACT

RFF[4],REFERENCE,C,10x		MESSAGE - CTL_CONTROL			Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABB'	
1154	Reference number	C	an..35	Trader authorised TIR(n1)	27
1156	Line number	C	an..6	Trader authorised NCTS(n1)	27
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[4],REFERENCE,C,10x		MESSAGE - CTL_CONTROL			Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ABB'	
1154	Reference number	C	an..35		
1156	Line number	C	an..6		
4000	Reference version number	C	an..35	Trader authorised(n1)	

4. EDIFACT

NAD[6],NAME AND ADDRESS,C,2x				MESSAGE - (DESTINATION) CUSTOMS OFFICE	Codelist
3035	Party qualifier	M	an..3	'DS'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[6],NAME AND ADDRESS,C,2x				MESSAGE - (DEPARTURE) CUSTOMS OFFICE	Codelist
3035	Party qualifier	M	an..3	'DP'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Reference number(an8)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,100x				MESSAGE - (ACTUAL CONSIGNEE) TRADER	Codelist
4451	Text subject qualifier	M	an..3	'AUT'	
4453	Text function, coded	C	an..3	Country code(a2)	8
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Name(an..35)	
4440	Free text	C	an..70	Street and number(an..35)	
4440	Free text	C	an..70	City(an..35)	
4440	Free text	C	an..70	Postal code(an..9)	
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	NAD LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,100x				MESSAGE - (AUTHORISED CONSIGNEE) TRADER	Codelist
4451	Text subject qualifier	M	an..3	'AUT'	
4453	Text function, coded	C	an..3	Country code(a2)	8
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Name(an..35)	
4440	Free text	C	an..70	Street and number(an..35)	
4440	Free text	C	an..70	City(an..35)	
4440	Free text	C	an..70	Postal code(an..9)	
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	NAD LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,100x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

**MESSAGE - (AUTHORISED CONSIGNEE) TRADER - Codelist
AUTHORISED GOODS LOCATION - AUTHORISED
GOODS LOCATION LSD**

'AUT'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,100x				MESSAGE - (AUTHORISED CONSIGNEE) TRADER	Codelist
4451	Text subject qualifier	M	an..3	'AUT'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70	Holder ID TIR(an..17)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[13],NAME AND ADDRESS,C,100x

**MESSAGE - (AUTHORISED CONSIGNEE) TRADER - Codelist
AUTHORISED GOODS LOCATION**

3035	Party qualifier	M	an..3	'EE'
C082	PARTY IDENTIFICATION DETAILS	C		
3039	Party id. identification	M	an..35	<i>Arrival authorised location of goods(an..17)</i>
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
C058	NAME AND ADDRESS	C		
3124	Name and address line	M	an..35	
3124	Name and address line	C	an..35	
3124	Name and address line	C	an..35	
3124	Name and address line	C	an..35	
3124	Name and address line	C	an..35	
C080	PARTY NAME	C		
3036	Party name	M	an..35	
3036	Party name	C	an..35	
3036	Party name	C	an..35	
3036	Party name	C	an..35	
3036	Party name	C	an..35	
3045	Party name format, coded	C	an..3	
C059	STREET	C		
3042	Street and number/p.o. box	M	an..35	
3042	Street and number/p.o. box	C	an..35	
3042	Street and number/p.o. box	C	an..35	
3042	Street and number/p.o. box	C	an..35	
3164	City name	C	an..35	
3229	Country sub-entity identification	C	an..9	
3251	Postcode identification	C	an..9	
3207	Country, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[13],NAME AND ADDRESS,C,100x

**MESSAGE - (AUTHORISED CONSIGNEE) TRADER - Codelist
AUTHORISED GOODS LOCATION - AUTHORISED
GOODS LOCATION LSD**

3035	Party qualifier	M	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C058	NAME AND ADDRESS	C	
3124	Name and address line	M	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
3124	Name and address line	C	an..35
C080	PARTY NAME	C	
3036	Party name	M	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3036	Party name	C	an..35
3045	Party name format, coded	C	an..3
C059	STREET	C	
3042	Street and number/p.o. box	M	an..35
3042	Street and number/p.o. box	C	an..35
3042	Street and number/p.o. box	C	an..35
3042	Street and number/p.o. box	C	an..35
3164	City name	C	an..35
3229	Country sub-entity identification	C	an..9
3251	Postcode identification	C	an..9
3207	Country, coded	C	an..3

'EE'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[14],PLACE/LOCATION IDENTIFICATION,C,9x

**MESSAGE - (AUTHORISED CONSIGNEE) TRADER - Codelist
AUTHORISED GOODS LOCATION - AUTHORISED
GOODS LOCATION LSD**

3227	Place/location qualifier	M	an..3	'14'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	Language code(a2)	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	Name(an..35)	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25	Country code(a2)	8
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70	Street and number(an..35)	
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25	Postal code(an..9)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70	City(an..35)	
5479	Relation, coded	C	an..3	NAD LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[19],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message--'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[20],INTERCHANGE TRAILER,M,1x

0036 Interchange control count
0020 Interchange control reference

M n..6
M an..14

MESSAGE

'-- Interchange control count --'
Interchange control reference(an..14)

Codelist

4. EDIFACT

GESMES**UNB[0],INTERCHANGE HEADER,M,1x**

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14		
0029	Processing priority code	C	a1		
0031	Acknowledgement request	C	n1		
0032	Communications agreement id.	C	an..35		
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'GESMES'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35		
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2		
0073	First and last transfer	C	a1		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'200'	
2380	Date/time/period	C	an..35	<i>Period from date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'201'	
2380	Date/time/period	C	an..35	Period to date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,9x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'202'	
2380	Date/time/period	C	an..35	<i>Extraction(n1)</i>	27
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - GUARANTEE TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Guarantee type(an1)	51
7405	Identity number qualifier	C	an..3	'16'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INVALID GUARANTEE REASON	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Invalid guarantee reason code(an..3)</i>	52
7405	Identity number qualifier	C	an..3	'17'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - LANGUAGE CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Language code(a2)</i>	12
7405	Identity number qualifier	C	an..3	'18'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - GUARANTEE MONITORING

Codelist

Segment	Field	Req	Len	Code	Description	Codelist
C780	VALUE LIST IDENTIFICATION	M				
1518	Value list identifier	M	an..35		Guarantee monitoring code(n1)	50
7405	Identity number qualifier	C	an..3		'19'	
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
4405	Status, coded	C	an..3			
1514	Value list name	C	an..70			
1507	Class designator, coded	C	an..3			
1505	Value list type, coded	C	an..3			
C240	PRODUCT CHARACTERISTIC	C				
7037	Characteristic identification	M	an..17			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
7036	Characteristic	C	an..35			
7036	Characteristic	C	an..35			
4513	Maintenance operation, coded	C	an..3			

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - CURRENCY CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Currency(an3)</i>	48
7405	Identity number qualifier	C	an..3	'2'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70	<i>Rate value(n..8,6)</i>	
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - CUSTOMS OPERATION STATE TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Customs Operation State Types(an..3)	58
7405	Identity number qualifier	C	an..3	'20'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PACKAGING CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Kind of packages(an..3)</i>	17
7405	Identity number qualifier	C	an..3	'21'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - ROLE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Role(an..3)</i>	56
7405	Identity number qualifier	C	an..3	'22'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - STATISTICS TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Statistics type(an..4)</i>	57
7405	Identity number qualifier	C	an..3	'23'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - SENSITIVE GOODS CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Commodity code (taric code)(an..6)</i>	62
7405	Identity number qualifier	C	an..3	'24'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3	<i>Sensitive goods code(n..2)</i>	64
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17	<i>EEC territory limitation(n1)</i>	27
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35	<i>Reference quantity(n..6)</i>	
7036	Characteristic	C	an..35	<i>Unit of measure code(an..3)</i>	59
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - TRAFFIC TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Traffic type(an..3)	20
7405	Identity number qualifier	C	an..3	'26'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - TRANSPORT MODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Transport mode(n..2)</i>	18
7405	Identity number qualifier	C	an..3	'27'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - AAR/AER REJECTION REASON	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	AAR/AER rejection reason code(n..2)	43
7405	Identity number qualifier	C	an..3	'29'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x					MESSAGE - AMENDMENT REJECTION MOTIVATION	Codelist
C780	VALUE LIST IDENTIFICATION		M			
1518	Value list identifier		M	an..35	<i>Amendment rejection motivation code(n1)</i>	45
7405	Identity number qualifier		C	an..3		
C082	PARTY IDENTIFICATION DETAILS		C			
3039	Party id. identification		M	an..35		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
4405	Status, coded		C	an..3		
1514	Value list name		C	an..70		
1507	Class designator, coded		C	an..3		
1505	Value list type, coded		C	an..3		
C240	PRODUCT CHARACTERISTIC		C			
7037	Characteristic identification		M	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
7036	Characteristic		C	an..35		
7036	Characteristic		C	an..35		
4513	Maintenance operation, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - ATR REJECTION REASON	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>ATR rejection reason code(n..2)</i>	44
7405	Identity number qualifier	C	an..3	'32'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - DISCREPANCIES SOLVED NOTIFICATION

Codelist

Code	Description	Card	Length	Value	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'33'	69
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DIVERSION REJECTION REASON	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Diversion rejection reason code(n..2)</i>	46
7405	Identity number qualifier	C	an..3	'34'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - RESULTS OF CONTROL	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Control indicator(an2)	41
7405	Identity number qualifier	C	an..3	'36'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - CONTROL RESULT CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Control result code(an2)	47
7405	Identity number qualifier	C	an..3	'6'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - COUNTRY	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Country code(a2)</i>	8
7405	Identity number qualifier	C	an..3	'8'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3	<i>Country regime code(an3)</i>	11
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3	<i>Geo-nomenclature code(n3)</i>	16

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - COUNTRY REGIME	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Country regime code(an3)	11
7405	Identity number qualifier	C	an..3	'9'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - UN/LOCODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>UN/LOCODE id(a3)</i>	
7405	Identity number qualifier	C	an..3	'AB'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	<i>UN/LOCODE name(an..29)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3	<i>Country code(a2)</i>	8
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - UNIT OF MEASURE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Unit of measure code(an..3)</i>	59
7405	Identity number qualifier	C	an..3	'AC'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - SPECIAL MENTION CODE	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'AD'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DOCUMENT TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'AE'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - CUSTOMS OFFICE GEO INFO	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Geo info code(an..6)</i>	15
7405	Identity number qualifier	C	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - QUERY ON GUARANTEE TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Query identifier(n1)	54
7405	Identity number qualifier	C	an..3	'AG'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - SPECIFIC NOTES CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Specific notes code(an..6)</i>	67
7405	Identity number qualifier	C	an..3	'67'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - SPECIAL MENTION CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Additional information coded(an..5)</i>	39
7405	Identity number qualifier	C	an..3	'AD'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DOCUMENT TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Document type(an..4)</i>	13
7405	Identity number qualifier	C	an..3	'AE'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - COMPLEMENTARY CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Complementary code(n1)</i>	86
7405	Identity number qualifier	C	an..3	'40'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DOCUMENT TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'AE'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3	Transport document(n1)	27
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Type of declaration(an..9)	31
7405	Identity number qualifier	C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x					MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M			
1518	Value list identifier		M	an..35		
7405	Identity number qualifier		C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS		C			
3039	Party id. identification		M	an..35		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
4405	Status, coded		C	an..3		
1514	Value list name		C	an..70		
1507	Class designator, coded		C	an..3		
1505	Value list type, coded		C	an..3		
C240	PRODUCT CHARACTERISTIC		C			
7037	Characteristic identification		M	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
7036	Characteristic		C	an..35		
7036	Characteristic		C	an..35		
4513	Maintenance operation, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x					MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M			
1518	Value list identifier		M	an..35		
7405	Identity number qualifier		C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS		C			
3039	Party id. identification		M	an..35		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
4405	Status, coded		C	an..3		
1514	Value list name		C	an..70		
1507	Class designator, coded		C	an..3		
1505	Value list type, coded		C	an..3		
C240	PRODUCT CHARACTERISTIC		C			
7037	Characteristic identification		M	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
7036	Characteristic		C	an..35		
7036	Characteristic		C	an..35		
4513	Maintenance operation, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x					MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M			
1518	Value list identifier		M	an..35		
7405	Identity number qualifier		C	an..3	'11'	
C082	PARTY IDENTIFICATION DETAILS		C			
3039	Party id. identification		M	an..35		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
4405	Status, coded		C	an..3		
1514	Value list name		C	an..70		
1507	Class designator, coded		C	an..3		
1505	Value list type, coded		C	an..3		
C240	PRODUCT CHARACTERISTIC		C			
7037	Characteristic identification		M	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
7036	Characteristic		C	an..35		
7036	Characteristic		C	an..35		
4513	Maintenance operation, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INFORMATION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Information Code(n2)</i>	119
7405	Identity number qualifier	C	an..3	'37'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - REQUESTED INFORMATION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Requested Information Code(n1)</i>	118
7405	Identity number qualifier	C	an..3	'38'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - REPRESENTATIVE STATUS CODE - ACTION

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'50'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - REPRESENTATIVE STATUS CODE -
LANGUAGE SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'50'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

MESSAGE - COMMUNITY NATIONAL PROCEDURE Codelist

Community / National Procedure(an3) 102
'57'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - EXPORT QUERY REASON CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Export_Query Reason Code(an..3)</i>	89
7405	Identity number qualifier	C	an..3	'45'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INCOTERM CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Incoterm Code(a3)</i>	90
7405	Identity number qualifier	C	an..3	'46'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - NATURE OF TRANSACTION CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Nature of transaction code(n..2)</i>	91
7405	Identity number qualifier	C	an..3	'47'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PROCEDURE REQUESTED	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Procedure requested(an2)</i>	92
7405	Identity number qualifier	C	an..3	<i>'48'</i>	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PREVIOUS PROCEDURE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Previous Procedure(an2)</i>	93
7405	Identity number qualifier	C	an..3	'49'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

Segment	Description	Card	Field	Field
C780	VALUE LIST IDENTIFICATION	M		
1518	Value list identifier	M	an..35	
7405	Identity number qualifier	C	an..3	
C082	PARTY IDENTIFICATION DETAILS	C		
3039	Party id. identification	M	an..35	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
4405	Status, coded	C	an..3	
1514	Value list name	C	an..70	
1507	Class designator, coded	C	an..3	
1505	Value list type, coded	C	an..3	
C240	PRODUCT CHARACTERISTIC	C		
7037	Characteristic identification	M	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
7036	Characteristic	C	an..35	
7036	Characteristic	C	an..35	
4513	Maintenance operation, coded	C	an..3	

MESSAGE - REPRESENTATIVE STATUS CODE

Codelist

Representative status code(n1)
'50'

94

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - RISK ANALYSIS RESULT CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Risk Analysis result code(an1)</i>	95
7405	Identity number qualifier	C	an..3	'51'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x					MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR	Codelist
C780	VALUE LIST IDENTIFICATION		M			
1518	Value list identifier		M	an..35	<i>Specific Circumstance Indicator(a1)</i>	96
7405	Identity number qualifier		C	an..3		
C082	PARTY IDENTIFICATION DETAILS		C			
3039	Party id. identification		M	an..35		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
4405	Status, coded		C	an..3		
1514	Value list name		C	an..70		
1507	Class designator, coded		C	an..3		
1505	Value list type, coded		C	an..3		
C240	PRODUCT CHARACTERISTIC		C			
7037	Characteristic identification		M	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
7036	Characteristic		C	an..35		
7036	Characteristic		C	an..35		
4513	Maintenance operation, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - SUMMARY DECLARATION
REJECTION REASON CODE

Codelist

Code	Description	Req	Len	Code List	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	Summary Declaration rejection reason code(n..2) '53'	97
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - TYPE OF TAX	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Type of tax(an3)	98
7405	Identity number qualifier	C	an..3	'54'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - WAREHOUSE TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Warehouse type(a1)	99
7405	Identity number qualifier	C	an..3	'55'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - UN DANGEROUS GOODS CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>UN dangerous goods code(an4)</i>	101
7405	Identity number qualifier	C	an..3	'56'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PREVIOUS DOCUMENT CATEGORY	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Previous Document Category(a1)</i>	103
7405	Identity number qualifier	C	an..3	'58'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - METHOD OF PAYMENT	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Method of payment(a1)</i>	104
7405	Identity number qualifier	C	an..3	'59'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

Code	Description	Req	Len
C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT

Codelist

Transport charges/ Method of Payment(a1)
'72'

116

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE (BOX 1.2)	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	Type of declaration (Box 1.2)(a1)	87
7405	Identity number qualifier	C	an..3	'82'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PREVIOUS DOCUMENT TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Previous document type(an..6)</i>	14
7405	Identity number qualifier	C	an..3	'84'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'84'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PREVIOUS DOCUMENT TYPE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'84'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'82'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - DECLARATION TYPE (BOX 1.2) -
LANGUAGE SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'82'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - TRANSPORT CHARGES METHOD OF
PAYMENT - ACTION Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'72'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'72'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - METHOD OF PAYMENT - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'59'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - METHOD OF PAYMENT - LANGUAGE Codelist
SPECIFIC DATA

C780	VALUE LIST IDENTIFICATION	M		
1518	Value list identifier	M	an..35	
7405	Identity number qualifier	C	an..3	'59'
C082	PARTY IDENTIFICATION DETAILS	C		
3039	Party id. identification	M	an..35	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
4405	Status, coded	C	an..3	
1514	Value list name	C	an..70	
1507	Class designator, coded	C	an..3	
1505	Value list type, coded	C	an..3	
C240	PRODUCT CHARACTERISTIC	C		
7037	Characteristic identification	M	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
7036	Characteristic	C	an..35	
7036	Characteristic	C	an..35	
4513	Maintenance operation, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - PREVIOUS DOCUMENT CATEGORY - Codelist
ACTION

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'58'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - PREVIOUS DOCUMENT CATEGORY - Codelist
LANGUAGE SPECIFIC DATA

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'58'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - UN DANGEROUS GOODS CODE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'56'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - UN DANGEROUS GOODS CODE -
LANGUAGE SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'56'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - WAREHOUSE TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'55'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - WAREHOUSE TYPE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'55'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - COMMUNITY NATIONAL PROCEDURE Codelist
- ACTION

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'57'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - COMMUNITY NATIONAL PROCEDURE Codelist
- LANGUAGE SPECIFIC DATA

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'57'

4. EDIFACT

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - TYPE OF TAX - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'54'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC Codelist
DATA

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'54'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - SUMMARY DECLARATION
REJECTION REASON CODE - ACTION

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'53'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VL[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - SUMMARY DECLARATION
REJECTION REASON CODE - LANGUAGE
SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M		
1518	Value list identifier	M	an..35	
7405	Identity number qualifier	C	an..3	'53'
C082	PARTY IDENTIFICATION DETAILS	C		
3039	Party id. identification	M	an..35	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
4405	Status, coded	C	an..3	
1514	Value list name	C	an..70	
1507	Class designator, coded	C	an..3	
1505	Value list type, coded	C	an..3	
C240	PRODUCT CHARACTERISTIC	C		
7037	Characteristic identification	M	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
7036	Characteristic	C	an..35	
7036	Characteristic	C	an..35	
4513	Maintenance operation, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'52'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - SPECIFIC CIRCUMSTANCE
INDICATOR - LANGUAGE SPECIFIC DATA

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'52'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - RISK ANALYSIS RESULT CODE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'51'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - RISK ANALYSIS RESULT CODE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'51'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - REPRESENTATIVE STATUS CODE - ACTION

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'50'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - REPRESENTATIVE STATUS CODE -
LANGUAGE SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'50'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PREVIOUS PROCEDURE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'49'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - PREVIOUS PROCEDURE - LANGUAGE Codelist
SPECIFIC DATA

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'49'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - PROCEDURE REQUESTED - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'48'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - PROCEDURE REQUESTED -
LANGUAGE SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'48'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - NATURE OF TRANSACTION CODE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'47'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - NATURE OF TRANSACTION CODE -
LANGUAGE SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'47'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INCOTERM CODE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'46'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INCOTERM CODE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M		
1518	Value list identifier		M	an..35	
7405	Identity number qualifier		C	an..3	'46'
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party id. identification		M	an..35	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
4405	Status, coded		C	an..3	
1514	Value list name		C	an..70	
1507	Class designator, coded		C	an..3	
1505	Value list type, coded		C	an..3	
C240	PRODUCT CHARACTERISTIC		C		
7037	Characteristic identification		M	an..17	
1131	Code list qualifier		C	an..3	
3055	Code list responsible agency, coded		C	an..3	
7036	Characteristic		C	an..35	
7036	Characteristic		C	an..35	
4513	Maintenance operation, coded		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - RESPONSE CODE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'44'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x					MESSAGE - RESPONSE CODE - LANGUAGE SPECIFIC DATA	Codelist
C780	VALUE LIST IDENTIFICATION		M			
1518	Value list identifier		M	an..35		
7405	Identity number qualifier		C	an..3	'44'	
C082	PARTY IDENTIFICATION DETAILS		C			
3039	Party id. identification		M	an..35		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
4405	Status, coded		C	an..3		
1514	Value list name		C	an..70		
1507	Class designator, coded		C	an..3		
1505	Value list type, coded		C	an..3		
C240	PRODUCT CHARACTERISTIC		C			
7037	Characteristic identification		M	an..17		
1131	Code list qualifier		C	an..3		
3055	Code list responsible agency, coded		C	an..3		
7036	Characteristic		C	an..35		
7036	Characteristic		C	an..35		
4513	Maintenance operation, coded		C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

Code	Description	Qualifier	Length
C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

MESSAGE - ITEM NUMBER REJECTION REASON CODE

Codelist

Item number rejection reason code(n..2)
'41'

106

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - ITEM NUMBER REJECTION REASON Codelist
CODE - ACTION

Code	Description	Req	Len	Code List
C780	VALUE LIST IDENTIFICATION	M		
1518	Value list identifier	M	an..35	
7405	Identity number qualifier	C	an..3	'41'
C082	PARTY IDENTIFICATION DETAILS	C		
3039	Party id. identification	M	an..35	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
4405	Status, coded	C	an..3	
1514	Value list name	C	an..70	
1507	Class designator, coded	C	an..3	
1505	Value list type, coded	C	an..3	
C240	PRODUCT CHARACTERISTIC	C		
7037	Characteristic identification	M	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
7036	Characteristic	C	an..35	
7036	Characteristic	C	an..35	
4513	Maintenance operation, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - ITEM NUMBER REJECTION REASON Codelist
CODE - LANGUAGE SPECIFIC DATA

Code	Description	Qualifier	Length
C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'41'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - RESPONSE CODE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Response Code(n..2)</i>	29
7405	Identity number qualifier	C	an..3	'44'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - CUSTOMS INTERVENTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Customs Intervention code(an..4)</i>	108
7405	Identity number qualifier	C	an..3	'39'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - CUSTOMS INTERVENTION - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'39'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

**MESSAGE - CUSTOMS INTERVENTION -
LANGUAGE SPECIFIC DATA**

Codelist

C780	VALUE LIST IDENTIFICATION	M		
1518	Value list identifier	M	an..35	
7405	Identity number qualifier	C	an..3	'39'
C082	PARTY IDENTIFICATION DETAILS	C		
3039	Party id. identification	M	an..35	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
4405	Status, coded	C	an..3	
1514	Value list name	C	an..70	
1507	Class designator, coded	C	an..3	
1505	Value list type, coded	C	an..3	
C240	PRODUCT CHARACTERISTIC	C		
7037	Characteristic identification	M	an..17	
1131	Code list qualifier	C	an..3	
3055	Code list responsible agency, coded	C	an..3	
7036	Characteristic	C	an..35	
7036	Characteristic	C	an..35	
4513	Maintenance operation, coded	C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INFORMATION TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'43'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INFORMATION TYPE - ACTION	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35		
7405	Identity number qualifier	C	an..3	'43'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x

MESSAGE - INFORMATION TYPE - LANGUAGE
SPECIFIC DATA

Codelist

C780	VALUE LIST IDENTIFICATION	M	
1518	Value list identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1514	Value list name	C	an..70
1507	Class designator, coded	C	an..3
1505	Value list type, coded	C	an..3
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35
4513	Maintenance operation, coded	C	an..3

'43'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

VLI[10],VALUE LIST IDENTIFICATION,C,99999x				MESSAGE - INFORMATION TYPE	Codelist
C780	VALUE LIST IDENTIFICATION	M			
1518	Value list identifier	M	an..35	<i>Information type(n..2)</i>	109
7405	Identity number qualifier	C	an..3	'43'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1514	Value list name	C	an..70		
1507	Class designator, coded	C	an..3		
1505	Value list type, coded	C	an..3		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		
4513	Maintenance operation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[11],DATE/TIME/PERIOD,C,9999x				MESSAGE - COUNTRY	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'146'	
2380	Date/time/period	C	an..35	TCC entry date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[11],DATE/TIME/PERIOD,C,9999x				MESSAGE - COUNTRY	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'375'	
2380	Date/time/period	C	an..35	<i>NCTS entry date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - GUARANTEE TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - GUARANTEE TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - INVALID GUARANTEE REASON - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - INVALID GUARANTEE REASON - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - LANGUAGE CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - LANGUAGE CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - GUARANTEE MONITORING - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - GUARANTEE MONITORING - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CURRENCY CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CURRENCY CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - CUSTOMS OPERATION STATE TYPE - Codelist ACTION

'ABS'	
<i>Operation(a1)</i>	24
<i>Validity date(n8)</i>	
<i>Modification subtype(n1)</i>	
<i>Legal references(an..70)</i>	
<i>Responsible data manager(an..35)</i>	
<i>Action identification(an..20)</i>	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

**MESSAGE - CUSTOMS OPERATION STATE TYPE - Codelist
LANGUAGE SPECIFIC DATA**

4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - PACKAGING CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - PACKAGING CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70	'--Continued 70 --'	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - ROLE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - ROLE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - STATISTICS TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - STATISTICS TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SENSITIVE GOODS CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SENSITIVE GOODS CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - TRAFFIC TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - TRAFFIC TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - TRANSPORT MODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - TRANSPORT MODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - AAR/AER REJECTION REASON - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - AAR/AER REJECTION REASON - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - AMENDMENT REJECTION MOTIVATION - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - AMENDMENT REJECTION MOTIVATION - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - ATR REJECTION REASON - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - ATR REJECTION REASON - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DISCREPANCIES SOLVED NOTIFICATION - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DIVERSION REJECTION REASON - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DIVERSION REJECTION REASON - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - RESULTS OF CONTROL - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

**MESSAGE - RESULTS OF CONTROL - LANGUAGE
SPECIFIC DATA** Codelist

Segment	Code	Qualifier	Field No.	Field Length	Field Name	Codelist
4451		Text subject qualifier	M	an..3	'ACV'	
4453		Text function, coded	C	an..3	Language code(a2)	12
C107		TEXT REFERENCE	C			
4441		Free text identification	M	an..17		
1131		Code list qualifier	C	an..3		
3055		Code list responsible agency, coded	C	an..3		
C108		TEXT LITERAL	C			
4440		Free text	C	an..70	Description(an..140)	
4440		Free text	C	an..70		
4440		Free text	C	an..70		
4440		Free text	C	an..70		
4440		Free text	C	an..70		
3453		Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CONTROL RESULT CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CONTROL RESULT CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - COUNTRY - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - COUNTRY - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - COUNTRY REGIME - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - COUNTRY REGIME - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - UN/LOCODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - UNIT OF MEASURE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - UNIT OF MEASURE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SPECIAL MENTION CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SPECIAL MENTION CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DOCUMENT TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DOCUMENT TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..350)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CUSTOMS OFFICE GEO INFO - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - QUERY ON GUARANTEE TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - QUERY ON GUARANTEE TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SPECIFIC NOTES CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SPECIFIC NOTES CODE - LANGUAGE	Codelist
				SPECIFIC DATA	
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..350)	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
4440	Free text	C	an..70	'-- Continued 70 --'	
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - COMPLEMENTARY CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - COMPLEMENTARY CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DECLARATION TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DECLARATION TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - INFORMATION - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - INFORMATION - LANGUAGE SPECIFIC Codelist DATA

'ACV'	
<i>Language code(a2)</i>	12
<i>Description(an..140)</i>	
<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - REQUESTED INFORMATION - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - REQUESTED INFORMATION - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - REPRESENTATIVE STATUS CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - REPRESENTATIVE STATUS CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION Codelist

4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

**MESSAGE - COMMUNITY NATIONAL PROCEDURE
- LANGUAGE SPECIFIC DATA** Codelist

4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..350)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - EXPORT QUERY REASON CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - EXPORT QUERY REASON CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - INCOTERM CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - INCOTERM CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - NATURE OF TRANSACTION CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - NATURE OF TRANSACTION CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..350)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - PREVIOUS DOCUMENT TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - DECLARATION TYPE (BOX 1.2) - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION

Codelist

'ABS'	
<i>Operation(a1)</i>	24
<i>Validity date(n8)</i>	
<i>Modification subtype(n1)</i>	
<i>Legal references(an..70)</i>	
<i>Responsible data manager(an..35)</i>	
<i>Action identification(an..20)</i>	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA

Codelist

'ACV'	
<i>Language code(a2)</i>	12
<i>Description(an..140)</i>	
<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - METHOD OF PAYMENT - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION Codelist

'ABS'	
<i>Operation(a1)</i>	24
<i>Validity date(n8)</i>	
<i>Modification subtype(n1)</i>	
<i>Legal references(an..70)</i>	
<i>Responsible data manager(an..35)</i>	
<i>Action identification(an..20)</i>	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

**MESSAGE - PREVIOUS DOCUMENT CATEGORY -
LANGUAGE SPECIFIC DATA**

Codelist

'ACV'	
<i>Language code(a2)</i>	12
<i>Description(an..140)</i>	
<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - UN DANGEROUS GOODS CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - UN DANGEROUS GOODS CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..350)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - WAREHOUSE TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - WAREHOUSE TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

4. EDIFACT

FTX[12],FREE TEXT,C,9999x				MESSAGE - TYPE OF TAX - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC DATA

'ACV'	
<i>Language code(a2)</i>	12
<i>Description(an..140)</i>	
<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

MESSAGE - SUMMARY DECLARATION
REJECTION REASON CODE - LANGUAGE
SPECIFIC DATA

Codelist

Code	Description	Req	Len	Value	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - RISK ANALYSIS RESULT CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - RISK ANALYSIS RESULT CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - PREVIOUS PROCEDURE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

**MESSAGE - PREVIOUS PROCEDURE - LANGUAGE Codelist
SPECIFIC DATA**

Code	Description	Qualifier	Card	Element	Value	Codelist
4451	Text subject qualifier	M	an..3	'ACV'		
4453	Text function, coded	C	an..3	Language code(a2)		12
C107	TEXT REFERENCE	C				
4441	Free text identification	M	an..17			
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C108	TEXT LITERAL	C				
4440	Free text	C	an..70	Description(an..350)		
4440	Free text	C	an..70			
4440	Free text	C	an..70			
4440	Free text	C	an..70			
4440	Free text	C	an..70			
3453	Language, coded	C	an..3	Language specific data LNG(a2)		12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - PROCEDURE REQUESTED - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - PROCEDURE REQUESTED - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..350)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

4. EDIFACT

FTX[12],FREE TEXT,C,9999x				MESSAGE - RESPONSE CODE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - RESPONSE CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - ITEM NUMBER REJECTION REASON	Codelist
				CODE - ACTION	
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x

				MESSAGE - ITEM NUMBER REJECTION REASON CODE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CUSTOMS INTERVENTION - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70	<i>Legal references(an..70)</i>	
4440	Free text	C	an..70	<i>Responsible data manager(an..35)</i>	
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - CUSTOMS INTERVENTION - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	<i>Language code(a2)</i>	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Description(an..140)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Language specific data LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - INFORMATION TYPE - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70	Legal references(an..70)	
4440	Free text	C	an..70	Responsible data manager(an..35)	
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[12],FREE TEXT,C,9999x				MESSAGE - INFORMATION TYPE - LANGUAGE SPECIFIC DATA	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3	Language code(a2)	12
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Description(an..140)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language specific data LNG(a2)	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DSI[31],DATA SET IDENTIFICATION,C,999x				MESSAGE - SENDING COUNTRY	Codelist
C782	DATA SET IDENTIFICATION	M			
1520	Data set identifier	M	an..35	'MS'	
7405	Identity number qualifier	C	an..3	Country code(a2)	8
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	Year(n4)	
1131	Code list qualifier	C	an..3	Month(an2)	26
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
C286	SEQUENCE INFORMATION	C			
1050	Sequence number	M	an..10		
1159	Sequence number source, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1060	Revision number	C	an..6		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

IDE[37],IDENTITY,C,99x				MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY	Codelist
7495	Identification qualifier	M	an..3	'1'	
C206	IDENTIFICATION NUMBER	M			
7402	Identity number	M	an..35	System code(n..2)	136
7405	Identity number qualifier	C	an..3		
4405	Status, coded	C	an..3		
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4405	Status, coded	C	an..3		
1222	Configuration level	C	n..2		
C778	POSITION IDENTIFICATION	C			
7164	Hierarchical id. number	C	an..12		
1050	Sequence number	C	an..10		
C240	PRODUCT CHARACTERISTIC	C			
7037	Characteristic identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
7036	Characteristic	C	an..35		
7036	Characteristic	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SCD[42],STRUCTURE COMPONENT DEFINITION,C,999x

**MESSAGE - SENDING COUNTRY - SYSTEM
APPLICABILITY - STATISTICAL
CHARACTERISTICS**

Codelist

7497	Component function qualifier	M	an..3
C786	STRUCTURE COMPONENT IDENTIFICATION	C	
7512	Structure component identifier	M	an..35
7405	Identity number qualifier	C	an..3
C082	PARTY IDENTIFICATION DETAILS	C	
3039	Party id. identification	M	an..35
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4405	Status, coded	C	an..3
1222	Configuration level	C	n..2
C778	POSITION IDENTIFICATION	C	
7164	Hierarchical id. number	C	an..12
1050	Sequence number	C	an..10
C240	PRODUCT CHARACTERISTIC	C	
7037	Characteristic identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
7036	Characteristic	C	an..35
7036	Characteristic	C	an..35

'2'

Statistics type(an4)

57

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CDV[45],CODE VALUE DEFINITION,C,9999x

MESSAGE - SENDING COUNTRY - SYSTEM
 APPLICABILITY - STATISTICAL
 CHARACTERISTICS - SERIES ELEMENTS

Codelist

9426	Code value	M	an..35	Counter(n..9)	
9434	Code name	C	an..70	Other country(a2)	8
4513	Maintenance operation, coded	C	an..3	'3'	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[57],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[58],INTERCHANGE TRAILER,M,1x

0036	Interchange control count	M	n..6	'-- Interchange control count'	
0020	Interchange control reference	M	an..14	Interchange control reference(an..14)	

MESSAGE

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

PARTTC

UNB[0],INTERCHANGE HEADER,M,1x				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'PARTTC'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'EC'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35		
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2		
0073	First and last transfer	C	a1		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,5x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'200'	
2380	Date/time/period	C	an..35	<i>Period from date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,5x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'201'	
2380	Date/time/period	C	an..35	Period to date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[3],DATE/TIME/PERIOD,C,5x				MESSAGE - HEADER	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'202'	
2380	Date/time/period	C	an..35	<i>Extraction(n1)</i>	27
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[12],NAME AND ADDRESS,C,9999x					MESSAGE - CUSTOMS OFFICE INFORMATION	Codelist
3035	Party qualifier	M	an..3	'EU'		
C082	PARTY IDENTIFICATION DETAILS	C				
3039	Party id. identification	M	an..35	UN/LOCODE id(a3)		
1131	Code list qualifier	C	an..3			
3055	Code list responsible agency, coded	C	an..3			
C058	NAME AND ADDRESS	C				
3124	Name and address line	M	an..35	Reference number Competent Authority of Recovery(an8)		
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
3124	Name and address line	C	an..35			
C080	PARTY NAME	C				
3036	Party name	M	an..35	Reference number(an8)		
3036	Party name	C	an..35	Reference number higher authority(an8)		
3036	Party name	C	an..35	Reference number take-over(an8)		
3036	Party name	C	an..35	Reference number main office(an8)		
3036	Party name	C	an..35	Reference number Competent Authority of Enquiry(an8)		
3045	Party name format, coded	C	an..3			
C059	STREET	C				
3042	Street and number/p.o. box	M	an..35	Geo info code(an..6)	15	
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3042	Street and number/p.o. box	C	an..35			
3164	City name	C	an..35	Region code(an..3)		
3229	Country sub-entity identification	C	an..9			
3251	Postcode identification	C	an..9	Postal code(an..9)		
3207	Country, coded	C	an..3	Country code(a2)	70	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[12],NAME AND ADDRESS,C,9999x				MESSAGE - COUNTRY HOLIDAYS	Codelist
3035	Party qualifier	M	an..3	'N1'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9		
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3	Country code(a2)	70

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[12],NAME AND ADDRESS,C,9999x				MESSAGE - COUNTRY/REGION	Codelist
3035	Party qualifier	M	an..3	'N2'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35		
3229	Country sub-entity identification	C	an..9	Country code(a2)	70
3251	Postcode identification	C	an..9		
3207	Country, coded	C	an..3	Country/region code(an..3)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[13],DATE/TIME/PERIOD,C,5x				MESSAGE - CUSTOMS OFFICE INFORMATION	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'146'	
2380	Date/time/period	C	an..35	NCTS entry date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[15],FREE TEXT,C,9999x				MESSAGE - CUSTOMS OFFICE INFORMATION	Codelist
4451	Text subject qualifier	M	an..3	'AAI'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Nearest office(an..175)</i>	
4440	Free text	C	an..70	<i>'-- Continued 70 --'</i>	
4440	Free text	C	an..70	<i>'-- Continued 35 --'</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	<i>Nearest office LNG(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[15],FREE TEXT,C,9999x				MESSAGE - CUSTOMS OFFICE INFORMATION - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[15],FREE TEXT,C,9999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

**MESSAGE - CUSTOMS OFFICE INFORMATION -
CUSTOMS OFFICE SPECIFIC NOTES**

Codelist

'ACB'	
<i>Specific notes code(an..6)</i>	67

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[15],FREE TEXT,C,9999x				MESSAGE - COUNTRY HOLIDAYS - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Operation(a1)</i>	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	<i>Validity date(n8)</i>	
4440	Free text	C	an..70	<i>Modification subtype(n1)</i>	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70	<i>Action identification(an..20)</i>	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[15],FREE TEXT,C,9999x				MESSAGE - COUNTRY/REGION - ACTION	Codelist
4451	Text subject qualifier	M	an..3	'ABS'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Operation(a1)	24
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Validity date(n8)	
4440	Free text	C	an..70	Modification subtype(n1)	
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70	Action identification(an..20)	
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[15],FREE TEXT,C,9999x				MESSAGE - COUNTRY/REGION - COUNTRY/REGION LSD	Codelist
4451	Text subject qualifier	M	an..3	'ACV'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70	Country/region name(an..35)	
4440	Free text	C	an..70	Country/region name LNG(a2)	12
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3	Language code(a2)	12

4. EDIFACT

RFF[18],REFERENCE,C,15x

MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

Segment	Field	Card	Qual	Req	Value	Codelist
C506	REFERENCE			M		
1153	Reference qualifier			M	an..3	'ADZ'
1154	Reference number			C	an..35	Trader dedicated(n1)
1156	Line number			C	an..6	
4000	Reference version number			C	an..35	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CTA[20],CONTACT INFORMATION,C,99x

**MESSAGE - CUSTOMS OFFICE INFORMATION -
(DEDICATED) TRADER**

Codelist

3139	Contact function, coded	C	an..3	'AX'
C056	DEPARTMENT OR EMPLOYEE DETAILS	C		
3413	Department or employee identification	C	an..17	<i>TIN(an..17)</i>
3412	Department or employee	C	an..35	<i>Name(an..35)</i>

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

CTA[20],CONTACT INFORMATION,C,99x

3139	Contact function, coded	C	an..3
C056	DEPARTMENT OR EMPLOYEE DETAILS	C	
3413	Department or employee identification	C	an..17
3412	Department or employee	C	an..35

MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

'IC'

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

COM[21],COMMUNICATION CONTACT,C,5x

**MESSAGE - CUSTOMS OFFICE INFORMATION -
(DEDICATED) TRADER**

Codelist

C076	COMMUNICATION CONTACT	M				
3148	Communication number	M	an..512	<i>Language code(a2)</i>		12
3155	Communication channel qualifier	C	an..3	<i>'E'</i>		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

COM[21],COMMUNICATION CONTACT,C,5x

MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

C076	COMMUNICATION CONTACT	M		
3148	Communication number	M	an..512	<i>Phone number(an..35)</i>
3155	Communication channel qualifier	C	an..3	<i>'TE'</i>

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

COM[21],COMMUNICATION CONTACT,C,5x

MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

C076	COMMUNICATION CONTACT	M		
3148	Communication number	M	an..512	<i>Fax number(an..35)</i>
3155	Communication channel qualifier	C	an..3	<i>'FX'</i>

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

COM[21],COMMUNICATION CONTACT,C,5x

MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

C076	COMMUNICATION CONTACT	M		
3148	Communication number	M	an..512	<i>Telex number(an..35)</i>
3155	Communication channel qualifier	C	an..3	<i>'TL'</i>

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

COM[21],COMMUNICATION CONTACT,C,5x

MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

C076	COMMUNICATION CONTACT	M		
3148	Communication number	M	an..512	<i>E-mail address(an..70)</i>
3155	Communication channel qualifier	C	an..3	<i>'EM'</i>

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x

**MESSAGE - CUSTOMS OFFICE INFORMATION -
CUSTOMS OFFICE TIMETABLE**

Codelist

4055	Terms of delivery or transport function, coded	D	an..3	'1'	
4215	Transport charges method of payment, coded	C	an..3	Season code(n1)	
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3	Season name LNG(a2)	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
4052	Terms of delivery or transport	C	an..70	Season name(an..35)	
4052	Terms of delivery or transport	C	an..70		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x

**MESSAGE - CUSTOMS OFFICE INFORMATION -
CUSTOMS OFFICE LSD**

Codelist

Code	Description	Qualifier	Length	Format	Example	Codelist
4055	Terms of delivery or transport function, coded	D	an..3		'5'	
4215	Transport charges method of payment, coded	C	an..3		<i>Language code(a2)</i>	12
C100	TERMS OF DELIVERY OR TRANSPORT	C				
4053	Terms of delivery or transport, coded	C	an..3		<i>Space to add(n1)</i>	27
1131	Code list qualifier	C	an..3		<i>Customs office usual name LNG(a2)</i>	12
3055	Code list responsible agency, coded	C	an..3		<i>Street and number LNG(a2)</i>	12
4052	Terms of delivery or transport	C	an..70		<i>Customs office usual name(an..35)</i>	
4052	Terms of delivery or transport	C	an..70		<i>Street and number(an..35)</i>	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x

4055	Terms of delivery or transport function, coded	D	an..3
4215	Transport charges method of payment, coded	C	an..3
C100	TERMS OF DELIVERY OR TRANSPORT	C	
4053	Terms of delivery or transport, coded	C	an..3
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
4052	Terms of delivery or transport	C	an..70
4052	Terms of delivery or transport	C	an..70

MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA

'6'	
<i>Day(an2)</i>	
<i>Month(an2)</i>	26
<i>Variable holiday date(n1)</i>	27
<i>Year(n4)</i>	

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x				MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS	Codelist
4055	Terms of delivery or transport function, coded	D	an..3	'6'	
4215	Transport charges method of payment, coded	C	an..3		
C100	TERMS OF DELIVERY OR TRANSPORT	C			
4053	Terms of delivery or transport, coded	C	an..3	Day(an2)	
1131	Code list qualifier	C	an..3	Month(an2)	26
3055	Code list responsible agency, coded	C	an..3	Variable holiday date(n1)	27
4052	Terms of delivery or transport	C	an..70	Year(n4)	
4052	Terms of delivery or transport	C	an..70		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[25],DATE/TIME/PERIOD,C,2x

MESSAGE - CUSTOMS OFFICE INFORMATION -
CUSTOMS OFFICE TIMETABLE

Codelist

C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'194'	
2380	Date/time/period	C	an..35	Season start date(n8)	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[25],DATE/TIME/PERIOD,C,2x

MESSAGE - CUSTOMS OFFICE INFORMATION -
CUSTOMS OFFICE TIMETABLE

Codelist

C507	DATE/TIME/PERIOD		M		
2005	Date/time/period qualifier		M	an..3	'206'
2380	Date/time/period		C	an..35	Season end date(n8)
2379	Date/time/period format qualifier		C	an..3	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x

**MESSAGE - CUSTOMS OFFICE INFORMATION -
CUSTOMS OFFICE TIMETABLE - CUSTOMS
OFFICE TIMETABLE LINE**

Codelist

Segment	Description	Qualifier	Length	Value	Codelist
3227	Place/location qualifier	M	an..3	'22'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Opening hours time first period from(n4)</i>	
1131	Code list qualifier	C	an..3	<i>Day in the week (begin day)(n1)</i>	105
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Opening hours time first period to(n4)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25	<i>Opening hours time second period from(n4)</i>	
1131	Code list qualifier	C	an..3	<i>Day in the week (end day)(n1)</i>	105
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70	<i>Opening hours time second period to(n4)</i>	
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE LSD	Codelist
3227	Place/location qualifier	M	an..3	'89'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	City LNG(a2)	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	City(an..35)	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25	Prefix-suffix name LNG(a2)	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70	Prefix-suffix name(an..35)	
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25	Prefix-suffix level(an1)	53
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70	Prefix-suffix flag(n1)	27
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x

MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA - COUNTRY HOLIDAYS DATA LSD

Codelist

Segment	Field	Qualifier	Length	Value	Codelist
3227	Place/location qualifier	M	an..3	'89'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Public holiday name LNG(a2)</i>	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Public holiday name(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3	<i>Language code(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x

**MESSAGE - COUNTRY/REGION -
COUNTRY/REGION HOLIDAYS -
COUNTRY/REGION HOLIDAYS LSD**

Codelist

Segment	Description	Card	Length	Value	Codelist
3227	Place/location qualifier	M	an..3	'89'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Public holiday name LNG(a2)</i>	12
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70	<i>Public holiday name(an..35)</i>	
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3	<i>Language code(a2)</i>	12

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[27],FREE TEXT,C,99x

MESSAGE - CUSTOMS OFFICE INFORMATION -
CUSTOMS OFFICE TIMETABLE - CUSTOMS
OFFICE TIMETABLE LINE - CUSTOMS OFFICE
ROLE / TRAFFIC COMPETENCE

Codelist

Code	Description	Req	Len	Value	Codelist
4451	Text subject qualifier	M	an..3	'ADA'	
4453	Text function, coded	C	an..3	Role(an..3)	56
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	Traffic type(an..3)	20
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[31],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message --'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[32],INTERCHANGE TRAILER,M,1x

0036	Interchange control count	M	n..6	'-- Interchange control count --'	
0020	Interchange control reference	M	an..14	Interchange control reference(an..14)	

MESSAGE

Codelist

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

SANCRT

UNB[0],INTERCHANGE HEADER,M,1x

				MESSAGE	Codelist
S001	SYNTAX IDENTIFIER	M			
0001	Syntax identifier	M	a4	<i>Syntax identifier(a4)</i>	21
0002	Syntax version number	M	n1	<i>Syntax version number(n1)</i>	22
S002	INTERCHANGE SENDER	M			
0004	Sender identification	M	an..35	<i>Message sender(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Sender identification code qualifier(an..4)</i>	
0008	Address for reverse routing	C	an..14		
S003	INTERCHANGE RECIPIENT	M			
0010	Recipient identification	M	an..35	<i>Message recipient(an..35)</i>	
0007	Identification code qualifier	C	an..4	<i>Recipient identification code qualifier(an..4)</i>	
0014	Routing address	C	an..14		
S004	DATE/TIME OF PREPARATION	M			
0017	Date	M	n6	<i>Date of preparation(n6)</i>	
0019	Time	M	n4	<i>Time of preparation(n4)</i>	
0020	Interchange control reference	M	an..14	<i>Interchange control reference(an..14)</i>	
S005	RECIPIENTS REFERENCE, PASSWORD	C			
0022	Recipient's reference/password	M	an..14	<i>Recipient's reference/password(an..14)</i>	
0025	Recipient's reference/password qualifier	C	an2	<i>Recipient's reference/password qualifier(an2)</i>	
0026	Application reference	C	an..14	<i>Application reference(an..14)</i>	
0029	Processing priority code	C	a1	<i>Priority(a1)</i>	
0031	Acknowledgement request	C	n1	<i>Acknowledgement request(n1)</i>	27
0032	Communications agreement id.	C	an..35	<i>Communications agreement id(an..35)</i>	
0035	Test indicator	C	n1	<i>Test indicator(n1)</i>	27

4. EDIFACT

UNH[1],MESSAGE HEADER,M,1x				MESSAGE	Codelist
0062	Message reference number	M	an..14	Message identification(an..14)	
S009	MESSAGE IDENTIFIER	M			
0065	Message type	M	an..6	'SANCRT'	
0052	Message version number	M	an..3	'D'	
0054	Message release number	M	an..3	'96B'	
0051	Controlling agency	M	an..2	'UN'	
0057	Association assigned code	C	an..6	Message type(an..6)	60
0068	Common Access Reference	C	an..35	Common access reference(an..35)	
S010	STATUS OF THE TRANSFER	C			
0070	Sequence of transfers	M	n..2	Message sequence number(n..2)	
0073	First and last transfer	C	a1	First and last transfer(a1)	28

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

BGM[2],BEGINNING OF MESSAGE,M,1x				MESSAGE	Codelist
C002	DOCUMENT/MESSAGE NAME	C			
1001	Document/message name, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
1000	Document/message name	C	an..35		
C106	DOCUMENT/MESSAGE IDENTIFICATION	C			
1004	Document/message number	C	an..35		
1056	Version	C	an..9		
1060	Revision number	C	an..6		
1225	Message function, coded	C	an..3	'6'	
4343	Response type, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x				MESSAGE - (GUARANTEE) CUSTOMS OFFICE	Codelist
3227	Place/location qualifier	M	an..3	'119'	
C517	LOCATION IDENTIFICATION	C			
3225	Place/location identification	C	an..25	<i>Reference number(an8)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3224	Place/location	C	an..70		
C519	RELATED LOCATION ONE IDENTIFICATION	C			
3223	Related place/location one identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3222	Related place/location one	C	an..70		
C553	RELATED LOCATION TWO IDENTIFICATION	C			
3233	Related place/location two identification	C	an..25		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
3232	Related place/location two	C	an..70		
5479	Relation, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[14],NAME AND ADDRESS,C,99x				MESSAGE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35	Holder ID TIR(an..17)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[14],NAME AND ADDRESS,C,99x				MESSAGE - GUARANTOR	Codelist
3035	Party qualifier	M	an..3	'SX'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	<i>TIN(an..17)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	<i>Name(an..35)</i>	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	<i>Street and number(an..35)</i>	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	<i>City(an..35)</i>	
3229	Country sub-entity identification	C	an..9	<i>NAD LNG(a2)</i>	12
3251	Postcode identification	C	an..9	<i>Postal code(an..9)</i>	
3207	Country, coded	C	an..3	<i>Country code(a2)</i>	70

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

LIN[38],LINE ITEM,C,9999x				MESSAGE - GUARANTEE REFERENCE	Codelist
1082	Line item number	C	n..6		
1229	Action request/notification, coded	C	an..3		
C212	ITEM NUMBER IDENTIFICATION	C			
7140	Item number	C	an..35	<i>Guarantee reference number (GRN)(an..24)</i>	
7143	Item number type, coded	C	an..3		
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C829	SUB-LINE INFORMATION	C			
5495	Sub-line indicator, coded	C	an..3		
1082	Line item number	C	n..6		
1222	Configuration level	C	n..2		
7083	Configuration, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

GIN[43],GOODS IDENTITY NUMBER,C,9999x				MESSAGE - GUARANTEE REFERENCE	Codelist
7405	Identity number qualifier	M	an..3	'AQ'	
C208	IDENTITY NUMBER RANGE	M			
7402	Identity number	M	an..35	<i>Access code(an4)</i>	
7402	Identity number	C	an..35		
C208	IDENTITY NUMBER RANGE	C			
7402	Identity number	M	an..35		
7402	Identity number	C	an..35		
C208	IDENTITY NUMBER RANGE	C			
7402	Identity number	M	an..35		
7402	Identity number	C	an..35		
C208	IDENTITY NUMBER RANGE	C			
7402	Identity number	M	an..35		
7402	Identity number	C	an..35		
C208	IDENTITY NUMBER RANGE	C			
7402	Identity number	M	an..35		
7402	Identity number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[44],REFERENCE,C,9x				MESSAGE - GUARANTEE REFERENCE	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'ACL'	
1154	Reference number	C	an..35	<i>Hard copy given to Principal(n1)</i>	27
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

RFF[44],REFERENCE,C,9x				MESSAGE - GUARANTEE REFERENCE	Codelist
C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'T'	
1154	Reference number	C	an..35	TIR carnet(n1)	27
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

4. EDIFACT

RFF[44],REFERENCE,C,9x

MESSAGE - GUARANTEE REFERENCE

Codelist

C506	REFERENCE	M			
1153	Reference qualifier	M	an..3	'AED'	
1154	Reference number	C	an..35	Limited validity (sensitive goods)(n1)	27
1156	Line number	C	an..6		
4000	Reference version number	C	an..35		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[46],DATE/TIME/PERIOD,C,9x				MESSAGE - GUARANTEE REFERENCE	Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'182'	
2380	Date/time/period	C	an..35	<i>Date of issue(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

DTM[46],DATE/TIME/PERIOD,C,9x			MESSAGE - GUARANTEE REFERENCE		Codelist
C507	DATE/TIME/PERIOD	M			
2005	Date/time/period qualifier	M	an..3	'36'	
2380	Date/time/period	C	an..35	<i>Expiry date(n8)</i>	
2379	Date/time/period format qualifier	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[48],FREE TEXT,C,999x

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

MESSAGE - GUARANTEE REFERENCE - ACCESS CODE

Codelist

'AUT'

Access code(an4)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[48],FREE TEXT,C,999x

**MESSAGE - GUARANTEE REFERENCE -
PRINCIPAL ACCESS CODE (NEW)**

Codelist

4451	Text subject qualifier	M	an..3
4453	Text function, coded	C	an..3
C107	TEXT REFERENCE	C	
4441	Free text identification	M	an..17
1131	Code list qualifier	C	an..3
3055	Code list responsible agency, coded	C	an..3
C108	TEXT LITERAL	C	
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
4440	Free text	C	an..70
3453	Language, coded	C	an..3

'CC'

Access code(an4)

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

FTX[48],FREE TEXT,C,999x				MESSAGE - GUARANTEE REFERENCE - PRINCIPAL ACCESS CODE (OLD)	Codelist
4451	Text subject qualifier	M	an..3	'ABY'	
4453	Text function, coded	C	an..3		
C107	TEXT REFERENCE	C			
4441	Free text identification	M	an..17	<i>Access code(an4)</i>	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C108	TEXT LITERAL	C			
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
4440	Free text	C	an..70		
3453	Language, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

MOA[50],MONETARY AMOUNT,C,9x		MESSAGE - GUARANTEE REFERENCE			Codelist
C516	MONETARY AMOUNT	M			
5025	Monetary amount type qualifier	M	an..3	'10'	
5004	Monetary amount	C	n..18	<i>Voucher amount(n..15,2)</i>	
6345	Currency, coded	C	an..3	<i>Currency(an3)</i>	48
6343	Currency qualifier	C	an..3	'7'	
4405	Status, coded	C	an..3		

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

NAD[54],NAME AND ADDRESS,C,9x				MESSAGE - GUARANTEE REFERENCE - (PRINCIPAL) TRADER	Codelist
3035	Party qualifier	M	an..3	'AF'	
C082	PARTY IDENTIFICATION DETAILS	C			
3039	Party id. identification	M	an..35	TIN(an..17)	
1131	Code list qualifier	C	an..3		
3055	Code list responsible agency, coded	C	an..3		
C058	NAME AND ADDRESS	C			
3124	Name and address line	M	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
3124	Name and address line	C	an..35		
C080	PARTY NAME	C			
3036	Party name	M	an..35	Name(an..35)	
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3036	Party name	C	an..35		
3045	Party name format, coded	C	an..3		
C059	STREET	C			
3042	Street and number/p.o. box	M	an..35	Street and number(an..35)	
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3042	Street and number/p.o. box	C	an..35		
3164	City name	C	an..35	City(an..35)	
3229	Country sub-entity identification	C	an..9	NAD LNG(a2)	12
3251	Postcode identification	C	an..9	Postal code(an..9)	
3207	Country, coded	C	an..3	Country code(a2)	8

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNT[77],MESSAGE TRAILER,M,1x				MESSAGE	Codelist
0074	Number of segments in the message	M	n..6	'-- Number of segments in the message --'	
0062	Message reference number	M	an..14	Message identification(an..14)	

DDNTA for NCTS P4. Version 15.50-EN	ALIGNED TO DDNA KEL 0.24
REF:CUST-DEV2-SC08-DDNTA_APP_H	
Appendix H: EDIFACT Segment Descriptions	
4. EDIFACT	

UNZ[78],INTERCHANGE TRAILER,M,1x

0036	Interchange control count	M	n..6	'-- Interchange control count --'	
0020	Interchange control reference	M	an..14	Interchange control reference(an..14)	

MESSAGE

Codelist